MASONITE DOORS

FLORIDA MADE DOOR™



EXTERIOR SELECTION GUIDE

2020 COLLECTION

MASONITE
DOORS



NOT ALL DOOR CONFIGURATIONS WITH TRANSOMS MEET THE FLORIDA BUILDING CODE
Please check with your local building authority for validation of codes and standards.

Florida Made Door and Masonite are committed to delivering unsurpassed performance and service in exterior fiberglass doors, glass products and steel doors. We are partners who help you elevate the role a door plays in your projects—creating more inspiring customer experiences and stronger business results.

From the classic lines of the Heritage Series. to the wide-open views of the VistaGrande. collection, we offer the breadth of exterior fiberglass door and glass options to meet any performance, material and design need.

Every product we offer is the result of years of research, design, engineering and development that begins at the Masonite Innovation Center. Through engagement of the R&D team, Masonite strives to continually improve performance by discovering new technologies and materials that lead to next- generation products. It is this dedication to a fully integrated design process that sets us apart from the competition and ensures every product we deliver lives up to our exacting standards for quality, consistency, and craftsmanship.

- The appearance of a wood stile and rail door on our fiberglass collection featuring a composite edge stile with square edge and composite bottom rail.
- Improved fiberglass skins with deeper, more pronounced grains.
- Extensive testing and certification processes for durability, wear, impact resistance and overall performance.
- VistaGrande. flush-glazed doors available in smooth or fir grain texture offer a wider viewing area and cleaner appearance over traditional glass inserts and utilize 1" IG glass with warm-edge spacers, increasing performance and life expectancy up to 9x.
- A streamlined approach to choosing your glass. Pricing is designed to simplify the decision-making process; all glass families within a tier are equally priced.

Finish Your Door 2
Endura 3
Exterior Door Collections 4
FMD Advantage 6
Masonite. Codes Defined 7
Distinct Glass Collections 8
HVHZ 10
WBD 50
Non-Impact 94
Masonite Glass 144
Rough Openings 146
Fiberglass Availability 148
Steel Availability 152
Product Warranties 153
Fire-Rated/ADA/STC 156
Door Handing Chart 161
Door & Glass Availability 164


Finish Your Door

FMD PREFINISHING AND LOCKING SYSTEM OPTIONS

Florida Made Door's prefinishing options make it easy to enhance the appearance of your entry door, creating a beautiful finish that will last for years to come.

CHOOSE YOUR PAINT

- Paint applied to steel or smooth fiberglass slabs and prehung units
- Option of two-tone finish on interior vs exterior
- Paint applied to exterior frame and jamb
- One-year warranty



CHOOSE YOUR STAIN

- Stain applied to textured fiberglass units
- Stain applied to exterior composite frame and jamb
- Three-part system gives depth to finish (base coat/glaze coat/top coat)
- Two-year warranty



Powered By Endura®

POWERED BY ENDURA® COMPONENTS. SMARTER PERFORMANCE FOR YOU.





TRILENNIUM™ MULTI-POINT LOCKING SYSTEM

Unmatched Strength. Ultimate Performance. Backed by the industry's highest ratings for structural and forced entry performance, Trilennium delivers 3x the strength, 3x the security and 3x the performance in one system.

UNMATCHED STRENGTH

The door panel is strengthened with triple deadbolts and a one-piece, solid I-beam lock construction.

ULTIMATE PERFORMANCE

Bolts pre-engage when unlocked to fight deflection at all times and can correct misalignment up to 3/16" in three directions once engaged.

UNMATCHED OPERATION


A single turn of the thumbturn or key is all you need to unlock the door. With Panic Release, a single turn of the interior lever unlocks the entire system.



▶ **Rectangular Entry Set Shown in Brushed Satin Nickel**



▶ **Rectangular Entry Set Shown in Medium Bronze Patina**





US Patents: 7,753,418; 8,182,002. Canadian Patents: 2,562,430; 2,605,002.

Exterior Door Collections

AT A GLANCE

VISTAGRANDE® FLUSH-GLAZED FIBERGLASS




Fir

Smooth

- VistaGrande® Flush-Glazed doors offer a wider viewing area and cleaner appearance over traditional glass inserts. Stile and rail features provide an authentic wood door look.

HERITAGE SERIES® FIBERGLASS




Fir

Smooth

- Heritage Series® Craftsman door designs are available in opaque applications in both 6′8″ and 8′0″ to provide privacy and security or with one of the designs from our Heritage Series® decorative glass collection.

BELLEVILLE® FIBERGLASS




Mahogany


Fir


Smooth
(shown in beige)


Oak


Storm Guard® Mahogany


Storm Guard® Smooth

- Belleville® doors feature distinct architectural details, a reinforced lock area and thousands of customizable glass and panel combinations to choose from.

Belleville® smooth doors shown painted beige.

Masonite®, "Open to extraordinary.™," Belleville®, Cheyenne®, Centennial 10®, Centennial 15®, Heritage Series®, Fast-Frame®, Hollister®, Storm Guard®, Masonite Textures™, Masonite Panels®, Chelsea®, Cruz®, Cuzco®, Element®, Focus®, Frontier®, Georgian®, Kordella®, Naples®, Panama®, Pearl®, Quill®, Rozet®, Sonnet®, Zavalla®, Max®, Max® XPress Configurator® and VistaGrande® are trademarks of Masonite International Corporation. Please check with your Masonite dealer or distributor for current warranty terms and conditions. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.
08/19 Printed in the USA ©2019 Masonite International Corporation

NOT ALL DOOR CONFIGURATIONS WITH TRANSOMS MEET THE FLORIDA BUILDING CODE – Please check with your local building authority for validation of codes and standards.

MASONITE. HD STEEL





HD Steel

▶ **Masonite. HD Steel doors feature high-definition decorative panel profiles that closely replicate the appearance of a high-end wood door with the ultimate in security.**

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in both fiberglass and steel entry doors. We offer a comprehensive selection of door styles, finishes and decorative glass options—all crafted with exacting attention to detail.



▶ Heritage Series. Smooth Door / Doors HGS-3C

FMD Advantage

FIBERGLASS DOOR SYSTEM





Composite Bottom Rail
Combines the strength and stability of wood without the rotting



Polyurethane Core
Insulates 5x better than real wood for exceptional heat and cold resistance



Composite Square Edge
The composite edge creates a complete barrier surrounding the wood within the door system, preventing exposure to excessive moisture and ensuring a nearly maintenance-free product.

Note: The image shown is of a door cutout, no wood is exposed on the final product.



Insulated Glass with Warm-Edge Spacers
Provides best seal durability and less heat transfer, dramatically reducing interior condensation, improving sound absorption and resulting in greater comfort and energy savings for years to come.



Composite Jamb
More durable than wood and will not absorb moisture. Resistant to mold, mildew, fungus, salt, chemicals, insects and pollutants.



High Definition Panel Profile
Detailed panel embossments add to your curb appeal.

	FMD STANDARD PREHUNG UNIT SPECIFICATION			
	Inswing		Outswing	
	Smooth	Textured	Smooth	Textured
Jambs	4-9/16" Smooth Composite Jambs	4-9/16" Textured Composite Jambs	4-9/16" Smooth Composite Jambs	4-9/16" Textured Composite Jambs
Hinges (Options: Satin Nickel or Oil-Rubbed Bronze)	4 x 4-1/4" Square/Radius Stainless Steel	4 x 4-1/4" Square/Radius Stainless Steel	4 x 4-1/4" Square/Radius Stainless Steel NRP	4 x 4-1/4" Square/Radius Stainless Steel NRP
Sill	Endura Inswing Walnut Cap Adjustable Mill Finish	Endura Inswing Walnut Cap Adjustable Bronze Finish	Endura Oustwing Bumper with Sub Aluminum Cap Mill Finish	Endura Oustwing Bumper with Sub Aluminum Cap Bronze Finish
Weatherstrip (Options: Beige or Black)	White	Brown	White	Brown
Astragal (Double Door)	Endura White Aluminum Non-Thermal / Hurricane	Endura Mahogany Veneer Aluminum Non-Thermal / Hurricane	Endura White Aluminum Non-Thermal / Hurricane	Endura Mahogany Veneer Aluminum Non-Thermal / Hurricane

Masonite Codes Defined

DOOR OPTIONS WITH MORE DOOR VALUE



BMT-404-341-1

BMTSL-450-341-1

SL = sidelite

DOOR MATERIAL	GLASS SHAPE & SIZE	GLASS DESIGN & CAMING	# VISIBLE DOOR PANELS
BMT	404	341	1

DOOR MATERIAL



BMT Belleville® Mahogany Fiberglass



VistaGrande® Flush-Glazed Fiberglass

VFT Fir
VSG Smooth



BFT Belleville® Fir Fiberglass



Heritage Series® Craftsman Fiberglass

HFT Fir
HGS Smooth



BLT Belleville® Oak Fiberglass



SGS Storm Guard® Smooth Fiberglass



BLS Belleville® Smooth Fiberglass



SGM Storm Guard® Mahogany Fiberglass



MHD Masonite® High-Definition Steel

GLASS LITE & SHAPE



Rectangle Lite



Oval Lite



Camber-Top Fan Lite

106	22″ x 36″	Rectangle	**304**	16″ x 40″	3/4 Oval
114	14″ x 64″	Rectangle	**404**	22″ x 48″	Rectangle
120	20″ x 64″	Rectangle	**420**	20″ x 48″	Rectangle
122	22″ x 64″	Rectangle	**426**	26″ x 48″	Rectangle
126	26″ x 36″	Rectangle	**450**	8″ x 48″	Rectangle
129	8″ x 36″	Rectangle	**617**	8″ x 17″	Rectangle
135	22″ x 10″	Fan	**810**	22″ x 80″	Rectangle
137	22″ x 10″	Camber-Top Fan	**814**	14″ x 80″	Rectangle
151	8″ x 64″	Rectangle	**820**	20″ x 80″	Rectangle
160	20″ x 36″	Rectangle	**826**	26″ x 80″	Rectangle
217	22″ x 17″	Rectangle	**852**	8″ x 80″	Rectangle
228	22″ x 10″	Rectangle	**926**	26″ x 64″	Rectangle
300	20″ x 57″	Oval			

GLASS DESIGN & CAMING




AB Antique Black
P Platinum

PRIVACY RATING

1 Least Obscure — 3 — 10 Most Obscure

VISIBLE DOOR PANELS



X 1 2 4

Sample selection of door panels shown


Distinct Glass Collections

FOR EVERY STYLE

A streamlined approach to choosing your glass. Pricing designed to simplify the decision-making process. All glass families within a Tier are equally priced.

MASONITE GLASS DESIGN


TIER 1



HVHZ p12 | WBD p56 | NI p100

MASONITE GLASS DESIGN


TIER 2



HVHZ p16 | WBD p60 | NI p108

MASONITE GLASS DESIGN


TIER 3



HVHZ p22 | WBD p66 | NI p114

MASONITE GLASS DESIGN

TIER 4



HVHZ p34 | WBD p78 | NI p126

TEXTURED GLASS

HVHZ p38 | WBD p82 | NI p130

- Chord
- Cross Reed
- Double Water
- Pear
- Pearl.
- Quill.

CLEAR

HVHZ p42 | WBD p86 | NI p134

MINI BLIND & VENTS

HVHZ p44 | WBD p88 | NI p136

INTERNAL GRIDS

HVHZ p46 | WBD p90 | NI p138

EXTERNAL GRIDS

NI p140

From the classic lines of the Heritage Series® to the wide-open views of the VistaGrande to our variety of decorative glass options, it has never been easier to find a door to complement your design vision. Choose from hundreds of panel and glass combinations or opt for one of our flush-glazed or panel door options.



Belleville® Smooth Door with Focus Glass / Door BLS-404-627-2


HVHZ

HIGH-VELOCITY HURRICANE ZONES

Masonite Storm Guard® doors are designed specifically for coastal area homeowners. Choose from a variety of fiberglass and steel doors that comply with High-Velocity Hurricane Zone (HVHZ) region requirements.

Living on the coast is one of life's luxuries. Upgrading home construction in areas prone to high winds and hurricanes provides peace of mind during times of severe weather activity. Masonite engineered Storm Guard® impact-rated smooth and textured fiberglass doors, featuring CoreShield™ Technology and Masonite steel-edge steel doors, to meet strict building code requirements without compromising beauty.

- **HVHZ is specific to hurricane-rated winds in Florida's Dade and Broward counties**




CORESHIELD™ TECHNOLOGY

An additional layer of protection on Storm Guard® fiberglass doors that adds protection and meets the most stringent building codes



HURRICANE-PRONE REGIONS



HVHZ
High-Velocity Hurricane Zone

- Dade and Broward counties (FL)
- Doors required to meet Florida TAS 201 and 203 test standards
- Must comply with specific DP ratings in accordance

Please check with your local building authority for validation of codes and standards.

Notes:

- Values are nominal design 3-second gust wind speeds in miles per hour (m/s) at 33 ft. (10m) above ground for Exposure C category.
- Linear interpolation between contours is permitted.
- Islands and coastal areas outside the last contour shall use the last wind speed contour of the coastal area.
- Mountainous terrain, gorges, ocean promontorie and special wind regions shall be examined for unusual wind conditions.
- Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (Annual Exceedance Probability = 0.00143, MRI = 700 years).


Chelsea 12
Cruz 22
Cuzco 24
Element 26
Focus 28
Frontier 16
Georgian 34
Kordella 18
Naples 20
Panama 30
Rozet 36
Sonnet 32
Zavalla 14
Textured 38
Clear 42
Mini Blinds 44
Internal Grids 46
Panels 48



Storm Guard® Smooth with Chelsea® Glass / Door SGS-404-341-1

Chelsea. Glass

341 - AB ANTIQUE BLACK CAMING



Rotate one sidelite 180° for the “bookend look.”



PRIVACY RATING 1 (Least Obscure) — 3 — 10 (Most Obscure)



	6'8"				8'0"							
	404-1	122-X	450-1	151-X	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	•	S	•	S	•	•	•	S	S	•	S	S
SGM	•	S	•	S			•	S	S	•	S	S
MHD	•	S	•	•	•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Storm Guard® Mahogany Textured with Zavalla® Glass / Doors SGM-122-537-X / Sidelites SGMSL-151-537-X

Zavalla. Glass

537 - P PLATINUM CAMING



Masonite offers a full lite perfect circle configuration for Zavalla.. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



	6'8"			8'0"			
	122-X	151-X		122-1	810-X	151-1	852-X
SGS	S	S		S	S	S	S
SGM	S	S		S	S	S	S
MHD	S	•			S	•	•

Please specify door height when ordering. S = Stock • = Special Order



Storm Guard® Mahogany Textured with Frontier® Glass / Door SGM-404-312-1 / Sidelites SGMSL-450-312-1

Frontier® Glass

312 - AB ANTIQUE BLACK CAMING




Storm Guard® Smooth with Frontier® Glass / Door SGS-106-312-1



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	450-1	151-1	852-X
SGS	•	•	•	S	•	S	•		S	S	S	S	•	•
SGM		•	•	S	•	S	•				S	S	•	•
MHD	•		•	•	•	•	•		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Storm Guard® Smooth with Kordella® Glass / Doors SGS-122-686-X

Kordella® Glass

686 - AB ANTIQUE BLACK CAMING

EXTERIOR VIEW



Left Left Right Right


Please note: 22x36 (106) is available as left only.

Masonite offers a full design configuration for Kordella. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 8 — 10

1 Least Obscure — 10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	•	•	•	S	S	•	S	S		S	S	S	S	S	S	S	S
SGM		•	•	S	S	•	S	S				S	S	S	S	S	S
MHD	•		•	•	S	•	•	•		S		S		S	•	•	•

Please specify door height when ordering. **S** = Stock • = Special Order



Storm Guard® Mahogany Textured with Naples® Glass / Door SGM-106-366-2 / Sidelites SGMSL-129-366-1

Naples® Glass


366 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel 1P with Naples® Glass / Door MHD-106-366-1 / Sidelite MHDSL-129-366-1



PRIVACY RATING 1 (Least Obscure) — 6 — 10 (Most Obscure)



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S
SGM		S	S	S	S	S	S	S				S	S	S	S	S	S
MHD	S		S	•	S	•	•	•		S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Storm Guard® Smooth with Cruz® Glass / Door SGS-122-661-X

Cruz® Glass

661 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel with Cruz® Glass / Door MHD-404-661-1



PRIVACY RATING 1 — 8 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
SGM		•	•	•	S	•	•	S				•	S	S	•	S	S
MHD	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order




Storm Guard® Smooth with Cuzco Glass / Door SGS-122-364-X

Cuzco Glass

364 - AB ANTIQUE BLACK CAMING



Storm Guard® Smooth with Cuzco Glass / Door SGS-404-364-1 / Sidelites SGSSL-450-364-1



PRIVACY RATING 1 (Least Obscure) — 7 — 10 (Most Obscure)



	6'8"								8'0"								
	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
SGM		•	•	•	S	•	•	S				•	S	S	•	S	S
MHD	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order




Masonite® HD Steel with Element® Glass / Door MHD-122-328-X / Sidelite MHDSL-151-328-X

Element. Glass

328 - AB ANTIQUE BLACK CAMING



Masonite. HD Steel with Element. Glass / Door MHD-404-328-1



PRIVACY RATING

1 (Least Obscure) — 5 — 10 (Most Obscure)



	6'8"									8'0"							
	137-4	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	S	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S
SGM			S	S	S	S	•	S	S			S	S	S	S	S	S
MHD	•	S		S	•	S	•	•	•	S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Storm Guard® Mahogany Textured with Focus Glass / Door SGM-404-627-1

Focus Glass

627 - P PLATINUM CAMING



Storm Guard® Smooth with Focus Glass / Door SGS-106-627-2



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
SGM		•	•	•	S	•	•	S				•	S	S	•	S	S
MHD	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Storm Guard® Smooth with Panama® Glass / Door SGS-122-725-X / Sidelites SGSSL-151-725-X

Panama® Glass

725 - P PLATINUM CAMING




Storm Guard® Mahogany Textured with Panama® Glass / Door SGM-106-725-2



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X
SGS	S	S	S	S	S	S	S	S	S
SGM		S	S	S	S	S	S	S	S
MHD	S		S		•	S	•	•	•

8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	S	S	S	S	S	S	S	S
SGM			S	S	S	S	S	S
MHD	S		S		S	•	•	•

Please specify door height when ordering. **S** = Stock • = Special Order



Storm Guard® Mahogany Textured with Sonnet® Glass / Door SGM-404-472-1

Sonnet® Glass

472 - P PLATINUM CAMING



Storm Guard® Smooth with Sonnet® Glass / Door SGS-122-472-X



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



	6'8"				8'0"					
	404-1	122-X	450-1	151-X	404-1	404-1P	404-2	122-1	450-1	151-1
SGS	S	S	S	S	S	S	S	S	S	S
SGM	S	S	S	S			S	S	S	S
MHD	•	S	•	•	S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order



Masonite® HD Steel with Georgian Glass / Door MHD-404-517-1 / Sidelite MHDSL-450-517-1

Georgian Glass

517 - P PLATINUM CAMING



Storm Guard® Mahogany Textured with Georgian Glass / Door SGM-106-517-2 / Sidelite SGMSL-129-517-1



PRIVACY RATING 1 — 3 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
SGS	•	•	•	S	S	S	•	S	S		S	S	S	S	S	S
SGM		•	•	S	S	S	•	S	S				S	S	S	S
MHD	•		•		•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order




Storm Guard® Smooth with Rozet® Glass / Doors SGS-122-467-X

Rozet® Glass

467 - AB ANTIQUE BLACK



Storm Guard® Mahogany Textured with Rozet® Glass / Door SGM-106-467-2 / Sidelites SGMSL-129-467-1



PRIVACY RATING 1 — 5 — 10
1 Least Obscure
10 Most Obscure



	6'8"										8'0"						
	137-4	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	450-1	151-1
SGS	S	•	•	•	S	S	S	•	•	S		S	S	S	S	•	S
SGM			•	•	S	S	S	•	•	S				S	S	•	S
MHD	•	•		•		•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order

PRIVACY RATING 1 (Least Obscure) — 7 9 — 10 (Most Obscure)




Storm Guard® Smooth with Chord Glass / Door SGS-404-115-1



Chord 115 / T



Storm Guard® Smooth with Cross Reed Glass / Door SGS-122-118-1 / Sidelites SGSSL-852-118-X



Cross Reed 118 / T



Masonite® HD Steel 2P with Double Water Glass / Door MHD-404-113-2














Double Water 113 / T



To view glass designs in a specific size or shape, please visit www.masonite.com

Textured Glass














113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"									8'0"								
	 106-1	 106-1P	 106-2	 404-1	 122-X	 129-1	 450-1	 151-X		 404-1	 404-1P	 404-2	 122-1	 810-X	 450-1	 151-1	 852-X
SGS	•	•	•	S	S	•	S	S		S	S	S	S	S	S	S	S
SGM		•	•	S	S	•	S	S				S	S	S	S	S	S
MHD	•		•	•	S	•	•	•		S		S		S	•	•	•

Chord 115 / T

6'8"								8'0"				
	 106-1	 106-1P	 106-2	 404-1	 129-1	 450-1		 404-1	 404-1P	 404-2	 450-1
SGS	•	•	•	•	•	•		•	•	•	•
SGM		•	•	•	•	•				•	•
MHD	•		•	•	•	•		•		•	•

Cross Reed 118 / T

6'8"									8'0"								
	 106-1	 106-1P	 106-2	 404-1	 122-X	 129-1	 450-1	 151-X		 404-1	 404-1P	 404-2	 122-1	 810-X	 450-1	 151-1	 852-X
SGS	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
SGM		•	•	•	S	•	•	S				•	S	S	•	S	S
MHD	•		•	•	S	•	•	S		•		•		S	•	•	•

Double Water 113 / T

Please specify door height when ordering. **S** = Stock • = Special Order

PRIVACY RATING 1 — 9 10

Least Obscure — Most Obscure



▶ Masonite® HD Steel with Pear Glass / Door MHD-122-116-1 / Sidelites MHDSL-151-116-1



Pear 116 / T




▶ Storm Guard® Mahogany Textured with Pearl® Glass / Doors SGM-122-140-X



Pearl 140 / T



▶ Storm Guard® Smooth with Quill® Glass / Door SGS-404-119-1 / Sidelites SGSSL-450-119-1



Quill, 119 / T

To view glass designs in a specific size or shape, please visit www.masonite.com

Textured Glass

113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"							8'0"					
	106-1	106-1P	106-2	404-1	129-1	450-1		404-1	404-1P	404-2	122-1	450-1
SGS	•	•	•	•	•	•		•	•	•	•	•
SGM		•	•	•	•	•				•	•	•
MHD	•		•	•	•	•		•		•		•

Pear 116 / T

6'8"									8'0"								
	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
SGS	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S
SGM		S	S	S	S	S	S	S				S	S	S	S	S	S
MHD	S		S	•	S	•	•	•		S		S		S	•	•	•

Pearl, 140 / T

6'8"							8'0"				
	106-1	106-1P	106-2	404-1	129-1	450-1		404-1	404-1P	404-2	450-1
SGS	•	•	•	•	•	•		•	•	•	•
SGM		•	•	•	•	•				•	•
MHD	•		•	•	•	•		•		•	•

Quill, 119 / T

Please specify door height when ordering. **S** = Stock • = Special Order



▶ Storm Guard® Smooth with Clear Glass / Door SGS-404-010-1

Clear Glass

010 - C CLEAR GLASS



Storm Guard® Mahogany Textured with Clear Glass / Door SGM-106-010-1P





Clear Glass

PRIVACY RATING 1 Least Obscure — 10 Most Obscure

	6'9"										8'0"								
	137-4	106-1	106-1P	106-2	404-1	120-X	122-X	129-1	450-1	151-X	404-1	404-1P	404-2	122-1	820-X	810-X	450-1	151-1	852-X
SGS	S	S	S	S	S	S	S	S	•	S	S	S	S	S	•	S	•	S	S
SGM			S	S	S		S	S	•	S			S	S		S	•	S	S
MHD	•	S		S	•	•	S	•	•	•	S		S		•	S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Masonite® HD Steel with Clear Glass and Impact Mini Blinds / Doors MHD-B122-01RLM-X

Mini Blinds


010 - C CLEAR GLASS



Storm Guard® Smooth with Clear Glass and Impact Mini Blinds / Doors SGS-B122-01RLM-X



White Mini Blinds



Aluminum Impact Frame

6'8"	106-1	106-1P	106-2	114-X	120-X	122-X	151-X
SGS	•	•	•	•	S	S	S
SGM		•	•			S	S
MHD	•		•	•	•	S	•

8'0"	122-1	820-X	810-X	151-1	852-X
SGS	S	•	S	S	S
SGM	S		S	S	S
MHD		•	S	•	•

Please specify door height when ordering. **S** = Stock • = Special Order



Storm Guard® Smooth with Clear Glass and 10-Lite Internal Grids / Door SGS-122-10I-X


Internal Grids



Storm Guard® Smooth with Clear Glass and 8-Lite Internal Grids / Door SGS-404-08I-1



Internal Grid



White Traditional 5/8"

6'8"	106-1	106-1P	106-2	404-1	120-X (10I)	120-X (15I)	122-X (10I)	122-X (15I)	129-1	450-1	151-X
SGS	•	•	•	•	•	•	•	•	•	•	•
SGM		•	•	•			•	•	•	•	•
MHD	•		•	•	•	•	•	•	•	•	•

8'0"	404-1	404-1P	404-2	122-1 (10I)	122-1 (15I)	820-X(12I)	820-X(18I)	810-X (12I)	810-X (18I)	450-1	151-1	852-X
SGS	•	•	•	•	•	•	•	•	•	•	•	•
SGM			•	•	•			•	•	•	•	•
MHD	•		•			•	•	•	•	•	•	•

Please specify door height when ordering. **S** = Stock • = Special Order



Storm Guard® Mahogany 6 panel / Door SGM-6

MASONITE

PANELS.



Storm Guard® Smooth White 2 Panel / Door SGS-2



SGM / Belleville® Mahogany Textured



SGS / Belleville® Smooth



MHD / HD Steel

	6'8"								8'0"					
	X	6P	2ST	2P	2RO	2H	3C		X	6P	2ST	2P	2RO
SGS	S	S	S	S	•				S	S	S	S	•
SGM		S		S						S			
MHD	S	S	S		•	•	•		S	S	S		

Please specify door height when ordering. **S** = Stock • = Special Order

WBD

WIND-BORNE DEBRIS


Living on the coast is one of life's luxuries. Upgrading home construction in areas prone to high winds and hurricanes provides peace of mind during times of severe weather activity. Choose from a variety of Masonite fiberglass and steel-edge steel doors to meet strict building code requirements without compromising beauty.

- **Florida Wind-Borne is defined as 140 mph winds or 130 mph within one mile of the coast.**



To view glass designs in a specific size or shape, please visit www.masonite.com

HURRICANE-PRONE REGIONS



WBD
Wind-Borne Debris Region

- 130 mph and within one mile of the coast
- Doors required to meet Florida ASTM E1886 and E1996 tests
- Designated areas where the basic wind speed is 140 mph or greater

Please check with your local building authority for validation of codes and standards.

Notes:




- Values are nominal design 3-second gust wind speeds in miles per hour (m/s) at 33 ft. (10m) above ground for Exposure C category.
- Linear interpolation between contours is permitted.
- Islands and coastal areas outside the last contour shall use the last wind speed contour of the coastal area.
- Mountainous terrain, gorges, ocean promontorie and special wind regions shall be examined for unusual wind conditions.
- Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (Annual Exceedance Probability = 0.00143, MRI = 700 years).

VistaGrande 52
Heritage 54
Chelsea 56
Cruz 66
Cuzco 68
Element 70
Focus 72
Frontier 60
Georgian 78
Kordella 62
Naples 64
Panama 74
Rozet 80
Sonnet 76
Zavalla 58
Textured 82
Clear 86
Mini Blinds 88
Internal Grids 90
Panels 92

Please specify door height when ordering. **S** = Stock • = Special Order

8' VistaGrande® Smooth Flush-Glazed Doors with Pearl Glass / Door VSG-122-140-1 / Sidelites VSGSL-151-140-1

SIMULATED DIVIDED LITES - SDLS

3C, 4C, 4, 6, 9, 9P	3C, 4W, 4, 6, 8, 10	3C, 4C, 4W, 4, 6, 8, 9, 9P, 10, 12, 15	3C, 4C, 3W, 4, 6, 8, 9P, 12	3C, 4C, 4, 5W, 6, 6W, 8, 9P, 10, 12, 18	2, 3, 3C, 4W, 4, 5, 6P	2, 3C, 3, 3W, 4, 6P	2, 3, 3C, 4, 5, 5W, 6, 6W, 6P
							
106 22x36 **126** 26x36	**114** 14x64	**120** 20x64 **122** 22x64 **926** 26x64	**404** 22x48 **420** 20x48 **426** 26x48	**810** 22x80 **814** 14x80 **820** 20x80 **826** 26x80	**152** 7x64 **151** 8x64	**450** 8x48	**852** 8x80



VSG / SDL Simulated Divided Lites



VFT / SDL Simulated Divided Lites

PRIVACY RATING 1 (Least Obscure) — 9 ▲ 10 (Most Obscure)



Clear / 010



Pearl. / 140

To view glass designs in a specific size or shape, please visit www.masonite.com

VISTAGRANDE®


VISTAGRANDE SMOOTH (VSG)

6'8"

	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
LOW-E	•	•	•	S	S	S	S	S	S	•	S
PEARL	•	•	•	S	S	S	S	S	S	S	S

8'0"

	120-1	122-1	926-1	814-X	820-X	810-X	826-X	151-1	852-X
LOW-E	•	S	S	S	S	S	S	•	S
PEARL	S	S	S	S	S	S	S	S	S



VSG / Clear Glass



VSG / Textured Glass

VISTAGRANDE FIR TEXTURED (VFT)

6'8"

	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
LOW-E	•	•	•	S	S	S	S	S	S	•	S
PEARL	•	•	S	•	S	S	•	S	S	S	S

8'0"

	120-1	122-1	926-1	814-X	820-X	810-X	826-X	151-1	852-X
LOW-E	•	S	S	S	S	S	S	•	S
PEARL	S	S	S	S	•	S	S	S	S



VFT / Clear Glass



VFT / Textured Glass

Please specify door height when ordering. S = Stock • = Special Order



Heritage Series® Smooth with Cross Reed Glass / Door HGS-217-118-2C

HERITAGE SERIES®
Glass



HGS / Heritage Series, Smooth


HFT / Heritage Series, Fir Textured

PRIVACY RATING 1 — 4 5 6 7 9 — 10

Least Obscure — Most Obscure



Clear / 010



Chord / 115



Cross Reed / 118




Double Water / 113



Pear / 116



Pearl. / 140




Quill. / 119



Element. / 328



Focus / 627



Frontier. / 312



Naples. / 366

	6'8"								8'0"							
	3C	217-2	217-2 (2 Lite)	217-2 (3 Lite)	217-2 (4 Lite)	217-2 (6 Lite)	617-1	151-X	3C	217-2	217-2 (2 Lite)	217-2 (3 Lite)	217-2 (4 Lite)	217-2 (6 Lite)	617-1	852-X
Opaque	S								S							
Clear		S					S	S		S					S	S
Chord		•					•	S		•					•	S
Cross Reed		•					•	•		•					•	•
Double Water		S					•	S		S					•	S
Pear		•					•	•		•					•	•
Pearl.		S					•	S		S					•	S
Quill.		•					•	•		•					•	•
Element.		S					•	S		S					•	S
Focus		S					•	S		S					•	S
Frontier.		•					•	•		•					•	•
Naples.		S					•	S		S					•	S
SDLs			S	S	S	S	S	S			S	S	S	S	S	S


Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Chelsea® Glass / Door BLS-404-341-1

Chelsea. Glass

341 - AB ANTIQUE BLACK CAMING



Rotate one sidelite 180° for the “bookend look.”



PRIVACY RATING 1 (Least Obscure) — 3 — 10 (Most Obscure)



6'8"	404-1	122-X	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	S	•	S		•	•	•	S	S	•	S	S
HGS													
BMT	•	S	•	S				•	S	S	•	S	S
BLT		S	•	S		•		•		S	•	S	S
BFT	•	•	•	•									
HFT													
MHD	•	S	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Mahogany Textured with Zavalla® Glass / Doors BMT-122-537-X / Sidelites BMTSL-151-537-X

Zavalla. Glass

537 - P PLATINUM CAMING



Masonite offers a full lite perfect circle configuration for Zavalla.. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 4 — 10

Least Obscure — Most Obscure



6'8"	122-X	151-X	8'0"	122-1	810-X	151-1	852-X
BLS	S	S		S	S	S	S
HGS							
BMT	S	S		S	S	S	S
BLT	S	S			S	S	S
BFT	•	•					
HFT							
MHD	S	•			S	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Mahogany Textured with Frontier® Glass / Door BMT-404-312-1 / Sidelites BMTSL-450-312-1

Frontier® Glass

312 - AB ANTIQUE BLACK CAMING




Belleville® Smooth with Frontier® Glass / Door BLS-106-312-1



PRIVACY RATING 1 — 4 — 10

Least Obscure — Most Obscure



6'8"	217-2	106-1	106-1P	106-2	404-1	617-1	129-1	450-1	151-X
BLS		•	•	•	S		•	S	•
HGS	•					•			
BMT			•	•	S		•	S	•
BLT		•		•			•	S	•
BFT				•	•		•	•	•
HFT	•					•			
MHD	•	•		•	•	•	•	•	•

8'0"	217-2	404-1	404-1P	404-2	617-1	450-1	151-1	852-X
BLS		S	S	S		S	•	•
HGS	•				•			
BMT				S		S	•	•
BLT		•		S		S	•	•
BFT								
HFT	•				•			
MHD		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Smooth with Kordella® Glass / Doors BLS-122-686-X

Kordella® Glass

686 - AB ANTIQUE BLACK CAMING

EXTERIOR VIEW



Left Left Right Right


Please note: 22x36 (106) is available as left only.

Masonite offers a full design configuration for Kordella. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 8 — 10

1 Least Obscure — 10 Most Obscure



	6'8"								8'0"							
	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	S	S	•	S	S		S	S	S	S	S	S	S	S
HGS																	
BMT		•	•	S	S	•	S	S				S	S	S	S	S	S
BLT	•		•		S	•	S	S		•		S		S	S	S	S
BFT			•	•	•	•	•	•									
HFT																	
MHD	•		•	•	S	•	•	•		S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Mahogany Textured with Naples® Glass / Door BMT-106-366-2 / Sidelites BMTSL-129-366-1

Naples® Glass


366 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel 1P with Naples® Glass / Door MHD-106-366-1 / Sidelite MHDSL-129-366-1



PRIVACY RATING 1 (Least Obscure) — 6 — 10 (Most Obscure)



6'8"	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		S	S	S	S	S		S	S	S			S	S	S	S	S		S	S	S
HGS	S						•					S						•			
BMT			S	S	S	S		S	S	S					S	S	S		S	S	S
BLT		S		S		S		S	S	S			•		S		S		S	S	S
BFT				•	•	•		•	•	•											
HFT	S						•					S						•			
MHD	•	S		S	•	S	•	•	•	•			S		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Cruz® Glass / Door BLS-122-661-X

Cruz® Glass

661 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel with Cruz® Glass / Door MHD-404-661-1



PRIVACY RATING 1 — 8 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
HGS																	
BMT		•	•	•	S	•	•	S				•	S	S	•	S	S
BLT	•		•		S	•	•	S		•		•		S	•	S	S
BFT			•	•	•	•	•	•									
HFT																	
MHD	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Cuzco Glass / Door BLS-122-364-X

Cuzco Glass

364 - AB ANTIQUE BLACK CAMING



Belleville® Smooth with Cuzco Glass / Door BLS-404-364-1 / Sidelites BLSSL-450-364-1



PRIVACY RATING 1 — 7 — 10

1 Least Obscure

10 Most Obscure



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X
BLS	•	•	•	•	S	•	•	S
HGS								
BMT		•	•	•	S	•	•	S
BLT	•		•		S	•	•	S
BFT			•	•	•	•	•	•
HFT								
MHD	•		•	•	S	•	•	•

8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	S	S	•	S	S
HGS								
BMT			•	S	S	•	S	S
BLT	•		•		S	•	S	S
BFT								
HFT								
MHD	•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order




▶ Masonite® HD Steel with Element® Glass / Door MHD-122-328-X / Sidelite MHDSL-151-328-X

Element. Glass

328 - AB ANTIQUE BLACK CAMING



Masonite. HD Steel with Element. Glass / Door MHD-404-328-1



PRIVACY RATING

1 (Least Obscure) — 5 — 10 (Most Obscure)



6'8"	137-4	217-2C	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2C	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	S		S	S	S	S	S		•	S	S			S	S	S	S	S		S	S	S
HGS		S						•					S						•			
BMT				S	S	S	S		•	S	S					S	S	S		S	S	S
BLT	S		S		S		S		•	S	S			•		S		S		S	S	S
BFT					•	•	•		•	•	•											
HFT		S						•					S						•			
MHD	•	•	S		S	•	S	•	•	•	•			S		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Heritage Series® Smooth with Focus Glass / Door HGS-217-627-2C

Focus Glass

627 - P PLATINUM CAMING



Belleville® Fir Textured with Focus Glass / Door BFT-404-627-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



	6'8"										8'0"									
	217-2C	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	217-2C	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		•	•	•	•	S		•	•	S		•	•	•	S	S		•	S	S
HGS	S						•				S						•			
BMT			•	•	•	S		•	•	S				•	S	S		•	S	S
BLT		•		•		S		•	•	S		•		•		S		•	S	S
BFT				•	•	•		•	•	•										
HFT	S						•				S						•			
MHD	•	•		•	•	S	•	•	•	•		•		•		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Smooth with Panama® Glass / Door BLS-122-725-X / Sidelites BLSSL-151-725-X

Panama® Glass

725 - P PLATINUM CAMING




Belleville® Oak Textured with Panama® Glass / Door BLT-106-725-2



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



	6'8"										8'0"								
	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	S	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S
HGS																		
BMT		S	S	S	S	S	S	S	S				S	S	S	S	S	S
BLT	S		S			S	S	S	S		•		S		S	S	S	S
BFT			•	•	•	•	•	•	•									
HFT																		
MHD	S		S		•	S	•	•	•		S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Mahogany Textured with Sonnet® Glass / Door BMT-404-472-1

Sonnet® Glass

472 - P PLATINUM CAMING



Belleville® Fir Textured with Sonnet® Glass / Door BFT-404-472-1 / Sidelites BFTSL-450-472-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



6'8"	404-1	122-X	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
BLS	S	S	S	S		S	S	S	S	S	S
HGS											
BMT	S	S	S	S				S	S	S	S
BLT		S	S	S		•		S		S	S
BFT	•	•	•	•							
HFT											
MHD	•	S	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Fir Textured with Georgian Glass / Door BFT-304-517-2

Georgian Glass

517 - P PLATINUM CAMING



Belleville® Mahogany Textured with Georgian Glass / Door BMT-106-517-2 / Sidelites BMTSL-129-517-1





PRIVACY RATING 1 — 3 — 10

1 Least Obscure — 10 Most Obscure

6'8"	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
BLS	•	•	•	S	S	S	•	S	S		S	S	S	S	S	S
HGS																
BMT		•	•	S	S	S	•	S	S				S	S	S	S
BLT	•		•			S	•	S	S		•		S		S	S
BFT			•	•	•	•	•	•	•							
HFT																
MHD	•		•		•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order




Belleville® Smooth with Rozet® Glass / Doors BLS-122-467-X

Rozet® Glass

467 - AB ANTIQUE BLACK



Belleville® Mahogany Textured with Rozet® Glass / Door BMT-106-467-2 / Sidelites BMTSL-129-467-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure — 10 Most Obscure



	6'8"										8'0"						
	137-4	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	450-1	151-1
BLS	S	•	•	•	S	S	S	•	•	S		S	S	S	S	•	S
HGS																	
BMT			•	•	S	S	S	•	•	S				S	S	•	S
BLT	S	•		•			S	•	•	S		•		S		•	S
BFT				•	•	•	•	•	•	•							
HFT																	
MHD	•	•		•		•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order

PRIVACY RATING 1 Least Obscure — 7 9 — 10 Most Obscure




Belleville® Smooth with Chord Glass / Door BLS-404-115-1



Chord 115 / T



Belleville® Smooth with Cross Reed Glass / Door BLS-122-118-1 / Sidelites BLSSL-852-118-X



Cross Reed 118 / T



Masonite® HD Steel 2P with Double Water Glass / Door MHD-404-113-2



Double Water 113 / T

Textured Glass

113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		•	•	•	S	S		•	S	S			S	S	S	S	S		S	S	S
HGS	•						•					•						•			
BMT			•	•	S	S		•	S	S					S	S	S		S	S	S
BLT		•		•		S		•	S	S			•		S		S		S	S	S
BFT				•	•	•		•	•	•											
HFT	•						•					•						•			
MHD	•	•		•	•	S	•	•	•	•			S		S		S		•	•	•

Chord 115 / T

6'8"	217-2	106-1	106-1P	106-2	404-1	617-1	129-1	450-1	8'0"	217-2	404-1	404-1P	404-2	617-1	450-1
BLS		•	•	•	•		•	•			•	•	•		•
HGS	•					•				•				•	
BMT			•	•	•		•	•					•		•
BLT		•		•			•	•			•		•		•
BFT				•	•		•	•							
HFT	•					•				•				•	
MHD	•	•		•	•	•	•	•			•		•		•

Cross Reed 118 / T

6'8"	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		•	•	•		S		•	•	S			•	•	•	S	S		•	S	S
HGS	S						•					S						•			
BMT			•	•	•	S		•	•	S					•	S	S		•	S	S
BLT		•		•		S		•	•	S			•		•		S		•	S	S
BFT				•	•	•		•	•	•											
HFT	S						•					S						•			
MHD	•	•		•	•	S	•	•	•	•			•		•		S		•	•	•

Double Water 113 / T

Please specify door height when ordering. **S** = Stock • = Special Order

PRIVACY RATING 1 — 9 10

Least Obscure — Most Obscure



▶ Masonite® HD Steel with Pear Glass / Door MHD-122-116-1 / Sidelites MHDSL-151-116-1



Pear 116 / T




▶ Belleville® Mahogany Textured with Pearl® Glass / Doors BMT-122-140-X



Pearl 140 / T





▶ Belleville® Smooth with Quill® Glass / Door BLS-404-119-1 / Sidelites BLSSL-450-119-1










Quill® 119 / T

Textured Glass




113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"	 217-2	 106-1	 106-1P	 106-2	 404-1	 617-1	 129-1	 450-1	8'0"	 217-2	 404-1	 404-1P	 404-2	 617-1	 450-1
BLS		•	•	•	•		•	•			•	•	•		•
HGS	•					•				•				•	
BMT			•	•	•		•	•					•		•
BLT		•		•			•	•			•		•		•
BFT				•	•		•	•							
HFT	•					•				•				•	
MHD	•	•		•	•	•	•	•			•		•		•

Pear 116 / T

6'8"	 217-2	 106-1	 106-1P	 106-2	 404-1	 122-X	 617-1	 129-1	 450-1	 151-X	8'0"	 217-2	 404-1	 404-1P	 404-2	 122-1	 810-X	 617-1	 450-1	 151-1	 852-X
BLS		S	S	S	S	S		S	S	S			S	S	S	S	S		S	S	S	
HGS	S						•					S						•				
BMT			S	S	S	S		S	S	S					S	S	S		S	S	S	
BLT		S		S		S		S	S	S			•		S		S		S	S	S	
BFT				•	•	•		•	•	•												
HFT	S						•					S						•				
MHD	•	S		S	•	S	•	•	•	•			S		S		S		•	•	•	

Pearl, 140 / T

6'8"	 217-2	 106-1	 106-1P	 106-2	 404-1	 617-1	 129-1	 450-1	8'0"	 217-2	 404-1	 404-1P	 404-2	 617-1	 450-1
BLS		•	•	•	•		•	•			•	•	•		•
HGS	•					•				•				•	
BMT			•	•	•		•	•					•		•
BLT		•		•			•	•			•		•		•
BFT				•	•		•	•							
HFT	•					•				•				•	
MHD	•	•		•	•	•	•	•			•		•		•

Quill, 119 / T

Please specify door height when ordering. **S** = Stock • = Special Order



Belleville® Smooth with Clear Glass / Door BLS-404-010-1

Clear Glass

010 - C CLEAR GLASS



Belleville® Mahogany Textured with Clear Glass / Door BMT-106-010-1P





PRIVACY RATING 1 (Least Obscure) —— 10 (Most Obscure)

	6'8"													8'0"											
	137-4	217-2	106-1	106-1P	106-2	404-1	120-X	122-X	617-1	129-1	450-1	151-X		217-2	404-1	404-1P	404-2	122-1	820-X	810-X	617-1	450-1	151-1	852-X
BLS	S		S	S	S	S	S	S		S	•	S			S	S	S	S	S	S		•	S	S
HGS		S							S					S							S			
BMT				S	S	S		S		S	•	S					S	S		S		•	S	S
BLT	S		S		S		•	S		S	•	S			•		S		•	S		•	S	S
BFT					•	•		•		•	•	•												
HFT		S							S					S							S			
MHD	•	•	S		S	•	•	S	•	•	•	•			S		S		•	S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Masonite® HD Steel with Clear Glass and Impact Mini Blinds / Doors MHD-B122-01RLM-X

Mini Blinds


010 - C CLEAR GLASS



Belleville® Smooth with Clear Glass and Impact Mini Blinds / Doors BLS-B122-01RLM-X



White Mini Blinds



Aluminum Impact Frame

6'8"	106-1	106-1P	106-2	114-X	120-X	122-X	151-X	8'0"	122-1	820-X	810-X	151-1	852-X
BLS	•	•	•	•	S	S	S		S	S	S	S	S
HGS													
BMT		•	•			S	S		S		S	S	S
BLT	•		•	•	•	S	S			•	S	S	S
BFT			•			•	•						
HFT													
MHD	•		•	•	•	S	•			•	S	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville. Smooth with Clear Glass and 10-Lite Internal Grids / Door BLS-122-101-X


Internal Grids



Belleville, Smooth with Clear Glass and 8-Lite Internal Grids / Door BLS-404-08I-1



Internal Grid



White Traditional 5/8"

6'8"	106-1	106-1P	106-2	404-1	120-X (10I)	120-X (15I)	122-X (10I)	122-X (15I)	129-1	450-1	151-X
BLS	•	•	•	•	•	•	•	•	•	•	•
HGS											
BMT		•	•	•			•	•	•	•	•
BLT	•		•		•	•	•	•	•	•	•
BFT			•	•			•	•	•	•	•
HFT											
MHD	•		•	•	•	•	•	•	•	•	•

8'0"	404-1	404-1P	404-2	122-1 (10I)	122-1 (15I)	820-X(12I)	820-X(18I)	810-X (12I)	810-X (18I)	450-1	151-1	852-X
BLS	•	•	•	•	•	•	•	•	•	•	•	•
HGS												
BMT			•	•	•			•	•	•	•	•
BLT	•		•			•	•	•	•	•	•	•
BFT												
HFT												
MHD	•		•			•	•	•	•	•	•	•

Please specify door height when ordering. **S** = Stock • = Special Order



Belleville® Mahogany 6 panel / Door BMT-6

MASONITE

PANELS®



▶ Masonite® HD Steel White 2 Panel / Door MHD-2



BMT / Belleville® Mahogany Textured



BFT / Belleville® Fir Textured



BLT / Belleville® Oak Textured



BLS / Belleville® Smooth



MHD / HD Steel



HFT / Heritage Series® Fir Textured

HGS / Heritage Series® Smooth

6'8"	X	6P	2ST	2P	2RO	2H	3C	8'0"	X	6P	2ST	2P	2RO	3C
BLS	S	S	S	S	•				S	S	S	S	•	
HGS							S							S
BMT		S		S						S				
BLT	•	S	S						•	S	•			
BFT		•												
HFT							S							S
MHD	S	S	S		•	•	•		S	S	S			


Please specify door height when ordering. S = Stock • = Special Order

NON-IMPACT

Choose from a variety of Masonite fiberglass and steel doors to meet building code requirements without compromising beauty.



HURRICANE-PRONE REGIONS



Non-Impact Hurricane Zone

Please check with your local building authority for validation of codes and standards.

Notes:




- Values are nominal design 3-second gust wind speeds in miles per hour (m/s) at 33 ft. (10m) above ground for Exposure C category.
- Linear interpolation between contours is permitted.
- Islands and coastal areas outside the last contour shall use the last wind speed contour of the coastal area.
- Mountainous terrain, gorges, ocean promontorie and special wind regions shall be examined for unusual wind conditions.
- Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (Annual Exceedance Probability = 0.00143, MRI = 700 years).

VistaGrande 96
Heritage 98
Chelsea 100
Cruz 114
Cuzco 116
Element 118
Focus 120
Frontier 108
Georgian 126
Iron Springs 102
Kordella 110
Naples 112
Panama 122
Rozet 128
Sonnet 124
Tanglewood 104
Zavalla 106
Textured 130
Clear 134
Mini Blinds 136
Internal Grids 138
External Grids 140
Panels 142



8' VistaGrande® Smooth Flush-Glazed Doors with Pearl Glass / Door VSG-122-140-1 / Sidelites VSGSL-151-140-1

SIMULATED DIVIDED LITES - SDLS

3C, 4C, 4, 6, 9, 9P	3C, 4W, 4, 6, 8, 10	3C, 4C, 4W, 4, 6, 8, 9, 9P, 10, 12, 15	3C, 4C, 3W, 4, 6, 8, 9P, 12	3C, 4C, 4, 5W, 6, 6W, 8, 9P, 10, 12, 18	2, 3, 3C, 4W, 4, 5, 6P	2, 3C, 3, 3W, 4, 6P	2, 3, 3C, 4, 5, 5W, 6, 6W, 6P
							
106 22x36 **126** 26x36	**114** 14x64	**120** 20x64 **122** 22x64 **926** 26x64	**404** 22x48 **420** 20x48 **426** 26x48	**810** 22x80 **814** 14x80 **820** 20x80 **826** 26x80	**152** 7x64 **151** 8x64	**450** 8x48	**852** 8x80



VSG / SDL Simulated Divided Lites



VFT / SDL Simulated Divided Lites

PRIVACY RATING 1 (Least Obscure) — 9 ▲ 10 (Most Obscure)



Clear / 010



Pearl. / 140

To view glass designs in a specific size or shape, please visit www.masonite.com


VISTAGRANDE SMOOTH (VSG)

6'8"

	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
CLEAR	•	•	•	•	•	•	•	•	•	•	•
LOW-E	•	•	•	S	S	S	S	S	S	•	S
PEARL LOW-E	•	•	S	S	S	•	•	S	S	S	S
MINI BLIND	•			•			•	•	•	•	•
MINI BLIND LOW-E	•			•			S	S	S	•	•

8'0"

	120-1	122-1	926-1	814-X	820-X	810-X	826-X	151-1	852-X
CLEAR	•	•	•	•	•	•	•	•	•
LOW-E	•	S	S	S	S	S	S	•	S
PEARL LOW-E	S	S	S	•	•	S	S	S	S
MINI BLIND	•	•	•		•	•	•	•	•
MINI BLIND LOW-E	•	•	•		S	S	S	•	•



VSG / Clear Glass



VSG / Textured Glass



VSG / Mini Blind

VISTAGRANDE FIR TEXTURED (VFT)

6'8"

	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
CLEAR	•	•	•	•	•	•	•	•	•	•	•
LOW-E	•	•	•	S	S	S	S	S	S	•	S
PEARL LOW-E	•	•	S	S	S	•	•	S	S	S	S
MINI BLIND	•			•			•	•	•	•	•
MINI BLIND LOW-E	•			•			•	•	•	•	•

8'0"

	120-1	122-1	926-1	814-X	820-X	810-X	826-X	151-1	852-X
CLEAR	•	•	•	•	•	•	•	•	•
LOW-E	•	S	S	S	S	S	S	•	S
PEARL LOW-E	S	S	S	•	•	S	S	S	S
MINI BLIND	•	•	•		•	•	•	•	•
MINI BLIND LOW-E	•	•	•		•	•	•	•	•



VFT / Clear Glass



VFT / Textured Glass



VFT / Mini Blind

Please specify door height when ordering. S = Stock • = Special Order



Heritage Series® Smooth with Cross Reed Glass / Door HGS-217-118-2C


HERITAGE SERIES®
Glass



HGS / Heritage Series, Smooth | HFT / Heritage Series, Fir Textured

PRIVACY RATING 1 — 4 5 6 7 9 — 10

Least Obscure | Most Obscure



Clear / 010 | Chord / 115 | Cross Reed / 118 | Double Water / 113 | Pear / 116 | Pearl. / 140



Quill. / 119 | Element. / 328 | Focus / 627 | Frontier. / 312 | Naples. / 366

6'8"

	3C	217-2	217-2 (2 Lite)	217-2 (3 Lite)	217-2 (4 Lite)	217-2 (6 Lite)	617-1	151-X
Opaque	S							
Clear		S					S	S
Chord		•					•	S
Cross Reed		•					•	•
Double Water		S					•	•
Pear		•					•	•
Pearl.		S					•	S
Quill.		•					•	•
Element.		S					•	S
Focus		S					•	•
Frontier.		•					•	•
Naples.		S					•	S
SDLs			S	S	S	S	S	S
External Grids				S		S		

8'0"

	3C	217-2	217-2 (2 Lite)	217-2 (3 Lite)	217-2 (4 Lite)	217-2 (6 Lite)	617-1	852-X
Opaque	S							
Clear		S					S	S
Chord		•					•	S
Cross Reed		•					•	•
Double Water		S					•	S
Pear		•					•	•
Pearl.		S					•	S
Quill.		•					•	•
Element.		S					•	S
Focus		S					•	S
Frontier.		•					•	•
Naples.		S					•	S
SDLs			S	S	S	S	S	S
External Grids				S		S		


Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Chelsea® Glass / Door BLS-404-341-1

Chelsea. Glass

341 - AB ANTIQUE BLACK CAMING



Rotate one sidelite 180° for the “bookend look.”



PRIVACY RATING 1 (Least Obscure) — 3 — 10 (Most Obscure)



6'8"	404-1	122-X	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	S	•	S		•	•	•	S	S	•	S	S
HGS													
BMT	•	S	•	S				•	S	S	•	S	S
BLT		S	•	S		•		•		S	•	S	S
BFT	•	•	•	•									
HFT													
MHD	•	S	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order




▶ Belleville® Smooth with Iron Springs® Glass / Door BLS-122-918-X

Iron Springs® Glass


918 - WR WROUGHT IRON



Belleville® Fir Textured with Iron Springs® Glass / Door BFT-404-918-1 / Sidelite BFTSL-450-918-1



PRIVACY RATING 1 (Least Obscure) — 9 — 10 (Most Obscure)



6'8"	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
HGS																	
BMT		•	•	•	•	•	•	•				•	•	•	•	•	•
BLT	•		•		•	•	•	•		•		•		•	•	•	•
BFT			•	•	•	•	•	•									
HFT																	
MHD	•		•	•	•	•	•	•		•		•		•	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Smooth with Tanglewood® Glass / Doors BLS-122-926-X / Sidelites BLSSL-151-926-X

Tanglewood® Glass


926 - WR WROUGHT IRON



Belleville® Fir Textured with Tanglewood® Glass / Door BFT-404-926-1



PRIVACY RATING 1 (Least Obscure) — 9 — 10 (Most Obscure)



	6'8"								8'0"							
	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X		404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
HGS																	
BMT		•	•	•	•	•	•	•				•	•	•	•	•	•
BLT	•		•		•	•	•	•		•		•		•	•	•	•
BFT			•	•	•	•	•	•									
HFT																	
MHD	•		•	•	•	•	•	•		•		•		•	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Mahogany Textured with Zavalla® Glass / Doors BMT-122-537-X / Sidelites BMTSL-151-537-X

Zavalla. Glass

537 - P PLATINUM CAMING



Masonite offers a full lite perfect circle configuration for Zavalla.. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



6'8"	122-X	151-X	8'0"	122-1	810-X	151-1	852-X
BLS	S	S		S	S	S	S
HGS							
BMT	S	S		S	S	S	S
BLT	S	S			S	S	S
BFT	•	•					
HFT							
MHD	S	•			S	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Mahogany Textured with Frontier® Glass / Door BMT-404-312-1 / Sidelites BMTSL-450-312-1

Frontier® Glass

312 - AB ANTIQUE BLACK CAMING




Belleville® Smooth with Frontier® Glass / Door BLS-106-312-1



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	617-1	129-1	450-1	151-X
BLS	•		•	•	•	S		•	S	•
HGS		•					•			
BMT	•			•	•	S		•	S	•
BLT	•		•		•			•	S	•
BFT	•				•	•		•	•	•
HFT		•					•			
MHD	•	•	•		•	•	•	•	•	•

8'0"	217-2	404-1	404-1P	404-2	617-1	450-1	151-1	852-X
BLS		S	S	S		S	•	•
HGS	•				•			
BMT				S		S	•	•
BLT		•		S		S	•	•
BFT								
HFT	•				•			
MHD		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Smooth with Kordella® Glass / Doors BLS-122-686-X

Kordella® Glass

686 - AB ANTIQUE BLACK CAMING

EXTERIOR VIEW



Left Left Right Right


Please note: 22x36 (106) is available as left only.

Masonite offers a full design configuration for Kordella. Please specify left or right when ordering as different part numbers are required.



PRIVACY RATING 1 — 8 — 10

1 Least Obscure — 10 Most Obscure



6'8"	228-4	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	•	S	S	•	S	S		S	S	S	S	S	S	S	S
HGS																		
BMT	•		•	•	S	S	•	S	S				S	S	S	S	S	S
BLT	•	•		•		S	•	S	S		•		S		S	S	S	S
BFT	•			•	•	•	•	•	•									
HFT																		
MHD	•	•		•	•	S	•	•	•		S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Mahogany Textured with Naples® Glass / Door BMT-106-366-2 / Sidelites BMTSL-129-366-1

Naples® Glass

366 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel 1P with Naples® Glass / Door MHD-106-366-1 / Sidelite MHDSL-129-366-1



PRIVACY RATING 1 (Least Obscure) — 6 — 10 (Most Obscure)



	6'8"											8'0"									
	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	S		S	S	S	S	S		S	S	S		S	S	S	S	S		S	S	S
HGS		S						•				S						•			
BMT	S			S	S	S	S		S	S	S				S	S	S		S	S	S
BLT	S		S		S		S		S	S	S		•		S		S		S	S	S
BFT	•				•	•	•		•	•	•										
HFT		S						•				S						•			
MHD	S	•	S		S	•	S	•	•	•	•		S		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Cruz® Glass / Door BLS-122-661-X

Cruz® Glass

661 - AB ANTIQUE BLACK CAMING



Masonite® HD Steel with Cruz® Glass / Door MHD-404-661-1



PRIVACY RATING 1 — 8 — 10

1 Least Obscure

10 Most Obscure



6'8"	228-4	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	S	•	•	•	•	S	S	•	S		•	•	•	S	S	•	S	S
HGS																		
BMT	S		•	•	•	S	S	•	S				•	S	S	•	S	S
BLT	S	•		•		S	S	•	S		•		•		S	•	S	S
BFT	•			•	•	•	•	•	•									
HFT																		
MHD	S	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Cuzco Glass / Door BLS-122-364-X

Cuzco Glass

364 - AB ANTIQUE BLACK CAMING



Belleville® Smooth with Cuzco Glass / Door BLS-404-364-1 / Sidelites BLSSL-450-364-1



PRIVACY RATING 1 — 7 — 10

1 Least Obscure

10 Most Obscure



6'8"	228-4	106-1	106-1P	106-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	•	•	•	•	•	S	•	•	S		•	•	•	S	S	•	S	S
HGS																		
BMT	•		•	•	•	S	•	•	S				•	S	S	•	S	S
BLT	•	•		•		S	•	•	S		•		•		S	•	S	S
BFT	•			•	•	•	•	•	•									
HFT																		
MHD	•	•		•	•	S	•	•	•		•		•		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order




▶ Masonite® HD Steel with Element® Glass / Door MHD-122-328-X / Sidelite MHDSL-151-328-X

Element. Glass

328 - AB ANTIQUE BLACK CAMING



Masonite. HD Steel with Element. Glass / Door MHD-404-328-1



PRIVACY RATING

1 (Least Obscure) — 5 — 10 (Most Obscure)



	6'8"											8'0"									
	137-4	217-2C	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X		217-2C	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	S		S	S	S	S	S		•	S	S			S	S	S	S	S		S	S	S
HGS		S						•		S			S						•			
BMT				S	S	S	S		•	S	S					S	S	S		S	S	S
BLT	S		S		S		S		•	S	S			•		S		S		S	S	S
BFT					•	•	•		•	•	•											
HFT		S						•					S						•			
MHD	S	•	S		S	•	S	•	•	•	•			S		S		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Heritage Series® Smooth with Focus Glass / Door HGS-217-627-2C

Focus Glass

627 - P PLATINUM CAMING



Belleville® Fir Textured with Focus Glass / Door BFT-404-627-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	•		•	•	•	•	S		•	•	S			•	•	•	S	S		•	S	S
HGS		S						•					S						•			
BMT	•			•	•	•	S		•	•	S					•	S	S		•	S	S
BLT	•		•		•		S		•	•	S			•		•		S		•	S	S
BFT	•				•	•	•		•	•	•											
HFT		S						•					S						•			
MHD	•	•	•		•	•	S	•	•	•	•			•		•		S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



▶ Belleville® Smooth with Panama® Glass / Door BLS-122-725-X / Sidelites BLSSL-151-725-X

Panama® Glass

725 - P PLATINUM CAMING




Belleville® Oak Textured with Panama® Glass / Door BLT-106-725-2



PRIVACY RATING 1 — 4 — 10

1 Least Obscure

10 Most Obscure



	6'8"									8'0"								
	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X	404-1	404-1P	404-2	122-1	810-X	450-1	151-1	852-X
BLS	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
HGS																	
BMT		S	S	S	S	S	S	S	S			S	S	S	S	S	S
BLT	S		S			S	S	S	S	•		S		S	S	S	S
BFT			•	•	•	•	•	•	•								
HFT																	
MHD	S		S		•	S	•	•	•	S		S		S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Mahogany Textured with Sonnet® Glass / Door BMT-404-472-1

Sonnet® Glass

472 - P PLATINUM CAMING



Belleville® Fir Textured with Sonnet® Glass / Door BFT-404-472-1 / Sidelites BFTSL-450-472-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



6'8"	404-1	122-X	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
BLS	S	S	S	S		S	S	S	S	S	S
HGS											
BMT	S	S	S	S				S	S	S	S
BLT		S	S	S		•		S		S	S
BFT	•	•	•	•							
HFT											
MHD	•	S	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Fir Textured with Georgian Glass / Door BFT-304-517-2

Georgian Glass

517 - P PLATINUM CAMING



Belleville, Mahogany Textured with Georgian Glass / Door BMT-106-517-2 / Sidelites BMTSL-129-517-1



PRIVACY RATING 1 (Least Obscure) — 3 — 10 (Most Obscure)



6'8"	106-1	106-1P	106-2	304-2	404-1	300-X	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
BLS	•	•	•	S	S	•	S	•	S	S		S	S	S	S	S	S
HGS																	
BMT		•	•	S	S		S	•	S	S				S	S	S	S
BLT	•		•			•	S	•	S	S		•		S		S	S
BFT			•	•	•		•	•	•	•							
HFT																	
MHD	•		•		•	•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order




Belleville® Smooth with Rozet® Glass / Doors BLS-122-467-X

Rozet® Glass

467 - AB ANTIQUE BLACK



Belleville® Mahogany Textured with Rozet® Glass / Door BMT-106-467-2 / Sidelites BMTSL-129-467-1



PRIVACY RATING 1 — 5 — 10

1 Least Obscure

10 Most Obscure



6'8"	137-4	106-1	106-1P	106-2	304-2	404-1	122-X	129-1	450-1	151-X	8'0"	404-1	404-1P	404-2	122-1	450-1	151-1
BLS	S	•	•	•	S	S	S	•	•	S		S	S	S	S	•	S
HGS																	
BMT			•	•	S	S	S	•	•	S				S	S	•	S
BLT	S	•		•			S	•	•	S		•		S		•	S
BFT				•	•	•	•	•	•	•							
HFT																	
MHD	S	•		•		•	S	•	•	•		S		S		•	•

Please specify door height when ordering. S = Stock • = Special Order

PRIVACY RATING 1 Least Obscure — 7 9 — 10 Most Obscure




Belleville® Smooth with Chord Glass / Door BLS-404-115-1



Chord 115 / T



Belleville® Smooth with Cross Reed Glass / Door BLS-122-118-1 / Sidelites BLSSL-852-118-X



Cross Reed 118 / T



Masonite® HD Steel 2P with Double Water Glass / Door MHD-404-113-2



Double Water 113 / T

Textured Glass

113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	•		•	•	•	S	S		•	S	S			S	S	S	S	S		S	S	S
HGS		•						•					•						•			
BMT	•			•	•	S	S		•	S	S					S	S	S		S	S	S
BLT	•		•		•		S		•	S	S					S		S		S	S	S
BFT	•				•	•	•		•	•	•											
HFT		•						•					•						•			
MHD	•	•	•		•	•	S	•	•	•	•			S		S		S		•	•	•

Chord 115 / T

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	•		•	•	•	•	•		•	•	•			•	•	•	•	•		•	•	•
HGS		•						•					•						•			
BMT	•			•	•	•	•		•	•	•					•	•	•		•	•	•
BLT	•		•		•		•		•	•	•			•		•		•		•	•	•
BFT	•				•	•	•		•	•	•											
HFT		•						•					•						•			
MHD	•	•	•		•	•	•	•	•	•	•			•		•		•		•	•	•

Cross Reed 118 / T

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS	•		•	•	•		S		•	•	S			•	•	•	S	S		•	S	S
HGS		S						•					S						•			
BMT	•			•	•		S		•	•	S					•	S	S		•	S	S
BLT	•		•		•		S		•	•	S			•		•		S		•	S	S
BFT	•				•	•	•		•	•	•											
HFT		S						•					S						•			
MHD	•	•	•		•	•	S	•	•	•	•			•		•		S		•	•	•

Double Water 113 / T

Please specify door height when ordering. **S** = Stock • = Special Order

PRIVACY RATING 1 (Least Obscure) — 9 — 10 (Most Obscure)



Masonite® HD Steel with Pear Glass / Door MHD-122-116-1 / Sidelites MHDSL-151-116-1



Pear 116 / T




Belleville® Mahogany Textured with Pearl® Glass / Doors BMT-122-140-X



Pearl 140 / T



Belleville® Smooth with Quill® Glass / Door BLS-404-119-1 / Sidelites BLSSL-450-119-1



Quill 119 / T

Textured Glass

113 / 115 / 116 / 118 / 119 / 140 / T - TEXTURED

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X
BLS	•		•	•	•	•	•		•	•	•
HGS		•						•			
BMT	•			•	•	•	•		•	•	•
BLT	•		•		•		•		•	•	•
BFT	•				•	•	•		•	•	•
HFT		•									
MHD	•	•	•		•	•	•	•	•	•	•

8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		•	•	•	•	•		•	•	•
HGS	•						•			
BMT				•	•	•		•	•	•
BLT		•		•		•		•	•	•
BFT										
HFT	•						•			
MHD		•		•		•		•	•	•

Pear 116 / T

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X
BLS	•		S	S	S	S	S		S	S	S
HGS		S						•			
BMT	•			S	S	S	S		S	S	S
BLT	•		S		S		S		S	S	S
BFT	•				•	•	•		•	•	•
HFT		S						•			
MHD	•	•	S		S	•	S	•	•	•	•

8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		S	S	S	S	S		S	S	S
HGS	S						S			
BMT				S	S	S		S	S	S
BLT		•		S		S		S	S	S
BFT										
HFT	S						S			
MHD		S		S		S		•	•	•

Pearl, 140 / T

6'8"	228-4	217-2	106-1	106-1P	106-2	404-1	122-X	617-1	129-1	450-1	151-X
BLS	•		•	•	•	•	•		•	•	•
HGS		•						•			
BMT	•			•	•	•	•		•	•	•
BLT	•		•		•		•		•	•	•
BFT	•				•	•	•		•	•	•
HFT		•						•			
MHD	•	•	•		•	•	•	•	•	•	•

8'0"	217-2	404-1	404-1P	404-2	122-1	810-X	617-1	450-1	151-1	852-X
BLS		•	•	•	•	•		•	•	•
HGS	•						•			
BMT				•	•	•		•	•	•
BLT		•		•		•		•	•	•
BFT										
HFT	•						•			
MHD		•		•		•		•	•	•

Quill, 119 / T

Please specify door height when ordering. **S** = Stock • = Special Order



Belleville® Smooth with Clear Glass / Door BLS-404-010-1

Clear Glass

010 - C CLEAR GLASS



Belleville® Mahogany Textured with Clear Glass / Door BMT-106-010-1P





PRIVACY RATING 1 (Least Obscure) —— 10 (Most Obscure)

6'8"	228-4	137-4	135-4	217-2	160-2	106-1	106-1P	106-2	304-2	404-1	300-X	114-X	120-X	122-X	617-1	129-1	450-1	151-X	8'0"	217-2	404-1	404-1P	404-2	122-1	820-X	810-X	617-1	450-1	151-1	852-X
BLS	•	•	•		•	•	•	•	•	S	•	•	S	S		•	•	S			S	S	S	S	S	S		•	S	S
HGS				S											S					S							S			
BMT	•						•	•	•	S				S		•	•	S					S	S		S		•	S	S
BLT	•	•	•		•	•		•			•	•	•	S		•	•	S			•		S		•	S		•	S	S
BFT	•							•	•	•				•		•	•	•												
HFT				S											S					S							S			
MHD	•	•	•	•	•	•		•		•		•	S	S	•	•	•	•			S		S		•	S		•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Masonite® HD Steel with Clear Glass and Mini Blinds / Doors MHD-B122-01RL-X

Mini Blinds & Vents

010 - C CLEAR GLASS



White Mini Blinds

6'8"

	160-2	106-1	106-1P	106-2	404-1	120-X	122-X	129-1	450-1	151-X
BLS	•	•	•	•	•	S	S	•	•	S
HGS										
BMT			•	•	•		S	•	•	S
BLT	•	•		•		•	S	•	•	S
BFT				•	•		•	•	•	•
HFT										
MHD	•	•		•	•	S	S	•	•	•

8'0"

	404-1	404-1P	404-2	122-1	820-X	810-X	450-1	151-1	852-X
BLS	•	•	•	S	S	S	•	S	S
HGS									
BMT			•	S		S	•	S	S
BLT	•		•		•	S	•	S	S
BFT									
HFT									
MHD	•		•		•	S	•	•	•



Masonite® HD Steel with Vent Lite / Door MHD-V106-121-2



Vent Lites

	106-1	106-1P	106-2
BLS	S	S	S
HGS			
BMT		S	S
BLT	S		S
BFT			•
HFT			
MHD	S		S

Please specify door height when ordering. S = Stock • = Special Order



Belleville. Smooth with Clear Glass and 10-Lite Internal Grids / Door BLS-122-101-X


Internal Grids



Belleville, Smooth with Clear Glass and 8-Lite Internal Grids / Door BLS-404-08I-1



Internal Grid



White Traditional 5/8"

6'8"	228-4	135-4	160-2	106-1	106-1P	106-2	404-1	114-X	120-X (10I)	120-X (15I)	122-X (10I)	122-X (15I)	129-1	450-1	151-X
BLS	•	•	•	S	S	S	•	•	•	•	•	S	•	•	S
HGS															
BMT					S	S	•				•	S	•	•	S
BLT	•	•	•	S		S		•	•	•	•	S	•	•	S
BFT						•	•				•	•	•	•	•
HFT															
MHD	•	•	•	S		S	•	•	•	•	•	S	•	•	•

8'0"	404-1	404-1P	404-2	122-1 (10I)	122-1 (15I)	820-X(12I)	820-X(18I)	810-X (12I)	810-X (18I)	450-1	151-1	852-X
BLS	•	•	•	•	S	•	•	•	S	•	S	S
HGS												
BMT			•	•	S			•	S	•	S	S
BLT	•		•			•	•	•	S	•	S	S
BFT												
HFT												
MHD	•		•			•	•	•	S	•	•	•

Please specify door height when ordering. S = Stock • = Special Order



Belleville® Smooth with Clear Glass and 12-Lite External Grids / Door BLS-106-09E-2 / Sidelites BLSSL-129-03E-1

External Grids



Belleville® Smooth with Clear Glass and 15-Lite External Grids / Doors BLS-122-15E-X



External Grid

6'8"	135-4 (5E)	217-2 (3E)	217-2 (6E)	106-1 (9E)	106-1P (9E)	106-2 (9E)	120-X (10E)	122-X (15E)	8'0"	217-2 (3E)	217-2 (6E)	122-1 (15E)
BLS	S			S	S	S	S	S				S
HGS		S	S							S	S	
BMT					S	S		S				S
BLT	S			S		S	•	S				
BFT						•		•				
HFT		S	S							S	S	
MHD	S	•	•	S		S	S	S				

‡ Shown with optional dentil shelf.

Please specify door height when ordering. **S** = Stock • = Special Order



Belleville® Mahogany 6 panel / Door BMT-6

MASONITE

PANELS®



▶ Masonite® HD Steel White 2 Panel / Door MHD-2



BMT / Belleville® Mahogany Textured



BFT / Belleville® Fir Textured



BLT / Belleville® Oak Textured



BLS / Belleville® Smooth



MHD / HD Steel



HFT / Heritage Series® Fir Textured

HGS / Heritage Series® Smooth

6'8"	X	6P	2ST	2P	2RO	2H	3C	8'0"	X	6P	2ST	2P	2RO	3C
BLS	S	S	S	S	•				S	S	S	S	•	
HGS							S							S
BMT		S		S						S				
BLT	•	S	S						•	S	•			
BFT		•												
HFT							S							S
MHD	S	S	S		•	•	•		S	S	S			

Please specify door height when ordering. S = Stock • = Special Order

MASONITE GLASS

More Light. More Comfort. Less Energy.


As the leader in both innovation and trend, Masonite has invested in new state-of-the-art automated high-speed warm-edge spacer assembly lines that put Masonite Glass at the forefront of the door lite industry.


Warm-edge flexible spacers have been shown to have up to nine times the life expectancy of traditional metal insulating glass systems available on the market today. They expand and contract and always return to their original shape, protecting against stress cracks that can lead to seal failure.



WARM-EDGE FLEXIBLE SPACERS

= LESS SEAL FAILURES







Warm-Edge Flexible Spacer

Flexible spacers can move as glass bows inward or outward, resulting in a reduction of seal failures when compared to metal spacers.

VS.

FULL-METAL SPACERS





Full-Metal Spacer


Metal spacers are rigid and seal stress can result in seal failure

SPACER SYSTEM	CONDENSATION RESISTANCE	EDGE OF GLASS TEMPERATURE	EFFECTIVE THERMAL CONDUCTIVITY	TOTAL IGU FACTOR
Warm-Edge Flexible Spacer	**43.9**	**38.1°F / 3.39°C**	**0.182 W/m•C**	**0.265**
Stainless Steel U-Channel / Butyl	38	35.1°F / 1.72°C	0.333 W/m•C	0.269
Stainless Box / PIB Primary Sealant	36	33.6°F / 0.89°C	0.365 W/m•C	0.271
Tin U-Channel / Butyl	27.3	29.5°F / -1.39°C	0.806 W/m•C	0.278
Aluminum Spacer / Silicone	19.6	23.7°F / -4.61°C	1.623 W/m•C	0.296

Simulations were completed using WINDOW 7.4 / THERM 7.4 as per NFRC 200-2014. Outside temperature 0°F, inside temperature 70°F.

PERFORMANCE BENEFITS
OVER OTHER SPACERS

CLEARER VIEWING



Warm-Edge Flexible Spacers

All-foam design dramatically reduces interior condensation, delivering a clear view in warm-edge technology.



Less-Metal Spacer

Mid-performance spacer systems that still contain metal improve condensation resistance.



Full-Metal Spacer

With conventional metal spacers, condensation is a fact of life.

SOUND REDUCING




Improved sound absorption over traditional metal spacers; warm-edge flexible spacers are a huge help in keeping the decibels down.

LONGER LASTING

Warm-Edge Flexible Spacers

Warm-edge flexible spacers feature a unique non-metal composite-laminating technology that provides superior durability and thermal performance in insulating glass units.




ENERGY SAVING

The thermal performance of a window plays a major role in household energy conservation. A high-performance window system will keep your energy costs low by reducing heat loss in the winter and heat gain in the summer.

UP TO
+14.4°F/8.0°C
warmer temperature at the edge of the glass
(vs. Aluminum spacer / Silicone)

Outside 0°F ± 2°F
-17.78°C ± 2°F/-1.1°C

Inside 70°F ± 2°F
21.11°C ± 2°F/-1.1°C



Rough Openings

ENTRY SYSTEMS NEW CONSTRUCTION SIZE **(DIMENSIONS SHOWN ARE BASED ON INSWING DOORS)**

SINGLE

NOMINAL DOOR SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOLD SIZE	
WIDTH	HEIGHT	WIDTH	HEIGHT*	WIDTH	HEIGHT*	WIDTH	HEIGHT*
2'6"	6'8"	31-1/2"	82"	32-1/4"	82-1/2"	34"	83-1/4"
2'6"	8'0"	31-1/2"	98"	32-1/4"	98-1/2"	34"	99-1/4"
2'8"	6'8"	33-1/2"	82"	34-1/4"	82-1/2"	36"	83-1/4"
2'8"	8'0"	33-1/2"	98"	34-1/4"	98-1/2"	36"	99-1/4"
2'10"	6'8"	35-1/2"	82"	36-1/4"	82-1/2"	38"	83-1/4"
2'10"	8'0"	35-1/2"	98"	36-1/4"	98-1/2"	38"	99-1/4"
3'0"	6'8"	37-1/2"	82"	38-1/4"	82-1/2"	40"	83-1/4"
3'0"	8'0"	37-1/2"	98"	38-1/4"	98-1/2"	40"	99-1/4"

SINGLE WITH 1 L/H OR R/H SIDELITE

NOMINAL DOOR SIZE		NOMINAL SIDELITE SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOLD SIZE	
WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT*	WIDTH	HEIGHT*	WIDTH	HEIGHT*
2'6"	6'8"	1'0"	6'8"	45"	82"	45-3/4"	82-1/2"	47-1/2"	83-1/4"
2'6"	6'8"	1'2"	6'8"	47"	82"	47-3/4"	82-1/2"	49-1/2"	83-1/4"
2'8"	6'8"	1'0"	6'8"	47"	82"	47-3/4"	82-1/2"	49-1/2"	83-1/4"
2'8"	6'8"	1'2"	6'8"	49"	82"	49-3/4"	82-1/2"	51-1/2"	83-1/4"
2'8"	8'0"	1'0"	8'0"	47"	98"	47-3/4"	98-1/2"	49-1/2"	99-1/4"
2'8"	8'0"	1'2"	8'0"	49"	98"	49-3/4"	98-1/2"	51-1/2"	99-1/4"
2'10"	6'8"	1'0"	6'8"	49"	82"	49-3/4"	82-1/2"	51-1/2"	83-1/4"
2'10"	6'8"	1'2"	6'8"	51"	82"	51-3/4"	82-1/2"	53-1/2"	83-1/4"
2'10"	8'0"	1'0"	8'0"	49"	98"	49-3/4"	98-1/2"	51-1/2"	99-1/4"
2'10"	8'0"	1'2"	8'0"	51"	98"	51-3/4"	98-1/2"	53-1/2"	99-1/4"
3'0"	6'8"	1'0"	6'8"	51"	82"	51-3/4"	82-1/2"	53-1/2"	83-1/4"
3'0"	6'8"	1'2"	6'8"	53"	82"	53-3/4"	82-1/2"	55-1/2"	83-1/4"
3'0"	8'0"	1'0"	8'0"	51"	98"	51-3/4"	98-1/2"	53-1/2"	99-1/4"
3'0"	8'0"	1'2"	8'0"	53"	98"	53-3/4"	98-1/2"	55-1/2"	99-1/4"

SINGLE WITH 2 SIDELITES

NOMINAL DOOR SIZE		NOMINAL SIDELITE SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOLD SIZE	
WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT*	WIDTH	HEIGHT*	WIDTH	HEIGHT*
2'6"	6'8"	1'0"	6'8"	58-3/8"	82"	59-1/4"	82-1/2"	61"	83-1/4"
2'6"	6'8"	1'2"	6'8"	62-3/8"	82"	63-1/4"	82-1/2"	65"	83-1/4"
2'8"	6'8"	1'0"	6'8"	60-3/8"	82"	61-1/4"	82-1/2"	63"	83-1/4"
2'8"	6'8"	1'2"	6'8"	64-3/8"	82"	65-1/4"	82-1/2"	67"	83-1/4"
2'8"	8'0"	1'0"	8'0"	60-3/8"	98"	61-1/4"	98-1/2"	63"	99-1/4"
2'8"	8'0"	1'2"	8'0"	64-3/8"	98"	65-1/4"	98-1/2"	67"	99-1/4"
2'10"	6'8"	1'0"	6'8"	62-3/8"	82"	63-1/4"	82-1/2"	65"	83-1/4"
2'10"	6'8"	1'2"	6'8"	66-3/8"	82"	67-1/4"	82-1/2"	69"	83-1/4"
2'10"	8'0"	1'0"	8'0"	62-3/8"	98"	63-1/4"	98-1/2"	65"	99-1/4"
2'10"	8'0"	1'2"	8'0"	66-3/8"	98"	67-1/4"	98-1/2"	69"	99-1/4"
3'0"	6'8"	1'0"	6'8"	64-3/8"	82"	65-1/4"	82-1/2"	67"	83-1/4"
3'0"	6'8"	1'2"	6'8"	68-3/8"	82"	69-1/4"	82-1/2"	71"	83-1/4"
3'0"	8'0"	1'0"	8'0"	64-3/8"	98"	65-1/4"	98-1/2"	67"	99-1/4"
3'0"	8'0"	1'2"	8'0"	68-3/8"	98"	69-1/4"	98-1/2"	71"	99-1/4"

DOUBLE

NOMINAL DOOR SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOLD SIZE	
WIDTH	HEIGHT	WIDTH	HEIGHT*	WIDTH	HEIGHT*	WIDTH	HEIGHT*
5'0"	6'8"	62"	82"	62-3/4"	82-1/2"	64-1/2"	83-1/4"
5'4"	6'8"	66"	82"	66-3/4"	82-1/2"	68-1/2"	83-1/4"
5'4"	8'0"	66"	98"	66-3/4"	98-1/2"	68-1/2"	99-1/4"
5'8"	6'8"	70"	82"	70-3/4"	82-1/2"	72-1/2"	83-1/4"
5'8"	8'0"	70"	98"	70-3/4"	98-1/2"	72-1/2"	99-1/4"
6'0"	6'8"	74"	82"	74-3/4"	82-1/2"	76-1/2"	83-1/4"
6'0"	8'0"	74"	98"	74-3/4"	98-1/2"	76-1/2"	99-1/4"

All dimensions shown are for inswing doors – deduct 1-1/8" from the actual door size, the rough opening size and the outside brickmold size height for outswing handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available. Floor covering can affect rough opening heights. *Height dimensions shown are for 79-1/4" and 95-1/4" tall doors with 1-1/4" sills, for variations adjust accordingly.

Deduct – 1-1/4" for outswing Deduct – 1-1/2" for handicap



STEPS 1 & 2

There is no 'industry standard' for door sizing, so follow these steps carefully. Measuring your door and determining your door handing is very important to ensure the best fit for your opening. For best results, have a professional measure your opening and get it installed.

How to Measure Your Door

STEP 1. Measure the width of your existing door slab.
This is the edge of one side of the door slab to the edge of the other side of the door slab. (A)

STEP 2. Measure the height of your existing door slab.
This is the top edge of the door slab to the bottom edge of the door slab. Do not include the sweep on the bottom of the door. (B)

STEP 3. Measure the jamb depth of your existing door.
This is the inside edge of the door jamb to the outside edge of the door jamb (area where hinges are). Do not include any trim in this measurement.

STEP 4. Determine the handing of your existing door.

A) All handing must be done from the exterior of the door. Looking at your door from the outside, your door swings:

- ☐ A – Into the house (inswing)
- ☐ B – Out of the house (outswing)

B) Looking at your door from the outside, your door knob is:

- ☐ A – On the left side of the door
- ☐ B – On the right side of the door

C) Select the combination below to determine the proper handing of your door.

- ☐ AA – Right-Hand Inswing
- ☐ AB – Left-Hand Inswing
- ☐ BA – Left-Hand Outswing
- ☐ BB – Right-Hand Outswing

STEP 5. Final calculations of your existing door.
To find the estimated size of your existing unit, use the calculations below.












Width	For Inswing Units	For Outswing Units
Measurement A		
Add for Jambs	1-3/4"	1-3/4"
Total Unit Width		
Height		
Measurement B		
Add for Head & Sill	2-1/2"	1-5/8"
Total Unit Height		

Fiberglass Availability

SELECTION & STYLE










VISTAGRANDE® SMOOTH FLUSH-GLAZED

6'8"

	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
Clear	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Low-E	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind	2'8", 2'10", 3'0"			2'8", 2'10", 3'0"			2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind Low-E	2'8", 2'10", 3'0"			2'8", 2'10", 3'0"			2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E Impact	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Impact	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"











8'0"

	120-1	122-1	926-1	814-X	820-X	810-X	826-X	151-1	852-X
Clear	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Low-E	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind	2'6"	2'8", 2'10"	3'0"		2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind Low-E	2'6"	2'8", 2'10"	3'0"		2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E Impact	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Impact	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"

VISTAGRANDE® TEXTURED FLUSH-GLAZED

6'8"






















	106-1	126-1	420-1	404-1	426-1	114-X	120-X	122-X	926-X	450-1	152-X
Clear	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Low-E	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind	2'8", 2'10", 3'0"			2'8", 2'10", 3'0"			2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind Low-E	2'8", 2'10", 3'0"			2'8", 2'10", 3'0"			2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E Impact	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Impact	2'8", 2'10"	3'0"	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"





Black - Special Order

Green - In Stock





VISTAGRANDE® TEXTURED FLUSH-GLAZED (CONTINUED)

8'0"	 120-1	 122-1	 926-1	 814-X	 820-X	 810-X	 826-X	 151-1	 852-X
Clear	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Low-E	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind	2'6"	2'8", 2'10"	3'0"		2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Mini Blind Low-E	2'6"	2'8", 2'10"	3'0"		2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Clear Low-E Impact	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"
Pearl Impact	2'6"	2'8", 2'10"	3'0"	2'0"	2'6"	2'8", 2'10"	3'0"	1'0", 1'2"	1'0", 1'2"

HERITAGE SERIES® SMOOTH

	 CRAFTSMAN 3P	 CRAFTSMAN 2P	 CRAFTSMAN SL	 SL W/ FULL GLASS	
	HGS	HGS	HGS	HGS	
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	
8'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	
dentil shelf	option shown	option shown			
SDL kit		optional	optional	optional	
glass sizes		217	617	6'8" 151	8'0" 852
Frontier™ 312		•	•	•	•
Element® 328		•	•	•	•
Naples® 366		•	•	•	•
Focus 627		•	•	•	•
Clear Glass 010		•	•	•	•
Textured glass		•	•	•	•








HERITAGE SERIES® FIR TEXTURED

	 CRAFTSMAN 3P	 CRAFTSMAN 2P	 CRAFTSMAN SL	 SL W/ FULL GLASS	
	HFT	HFT	HFT	HFT	
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	
8'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	
dentil shelf	option shown	option shown			
SDL kit		optional	optional	optional	
glass sizes		217	617	6'8" 151	8'0" 852
Frontier™ 312		•	•	•	•
Element® 328		•	•	•	•
Naples® 366		•	•	•	•
Focus 627		•	•	•	•
Clear Glass 010		•	•	•	•
Textured glass		•	•	•	•





Fiberglass Availability

SELECTION & STYLE






BELLEVILLE® SMOOTH

	 FLUSH	 6P	 2P SQUARE	 CHEYENNE® 2P PLANK	 2P ROMAN®	 4P BLANK-TOP	 2P HOLLISTER®	 SL W/ 1/2 GLASS	 SL W/ 3/4 GLASS	 SL W/ FULL GLASS
	BLS	BLS	BLS	BLS	BLS	BLS	BLS	BLS	BLS	BLS
6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	114, 120, 122, 300, 810, 820	106, 120, 122, 160, 228, 404, 810, 820	106, 404	106, 404	106, 404	106, 135, 137, 228	122, 304, 404	129, 450	151, 450	151, 852

BELLEVILLE® MAHOGANY TEXTURED




	 6P	 CHEYENNE® 2P PLANK	 HOLLISTER® 2P	 SL W/ 1/2 GLASS	 SL W/ 3/4 GLASS	 SL W/ FULL GLASS
	BMT	BMT	BMT	BMT	BMT	BMT
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
8'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	106, 122, 228, 404, 810	106	122, 304, 404	129, 450	151, 450	151, 852

BELLEVILLE® OAK TEXTURED









	 FLUSH	 6P	 2P SQUARE	 4P BLANK-TOP	 SL W/ 1/2 GLASS	 SL W/ 3/4 GLASS	 SL W/ FULL GLASS
	BLT	BLT	BLT	BLT	BLT	BLT	BLT
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	114, 120, 122, 810, 820	106, 120, 122, 160, 228, 404, 810, 820	106, 404	106, 135, 137, 228	129, 450	151, 450	151, 852

Black - Special Order
Green - In Stock





BELLEVILLE® FIR TEXTURED

	 6P	 HOLLISTER® 2P	 SIDELITE W/ 1/2 GLASS	 SIDELITE W/ 3/4 GLASS	 SIDELITE W/ FULL GLASS
	BFT	BFT	BFT	BFT	BFT
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	106, 122, 228	304, 404	129	450	151

STORM GUARD® SMOOTH

	 FLUSH	 6P	 2P SQUARE	 CHEYENNE 2P PLANK	 2P ROMAN	 4P BLANK-TOP	 2P HOLLISTER	 SL W/ 1/2 GLASS	 SL W/ 3/4 GLASS	 SL W/ FULL GLASS
	SGS	SGS	SGS	SGS	SGS	SGS	SGS	SGS	SGS	SGS
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	114, 120, 122, 810, 820	106, 120, 122, 404, 810, 820	106, 404	106, 404	106, 404	106, 137	122, 304, 404	129, 450	151, 450	151, 852






STORM GUARD® MAHOGANY



	 6P	 CHEYENNE 2P PLANK	 2P HOLLISTER	 SL W/ 1/2 GLASS	 SL W/ 3/4 GLASS	 SL W/ FULL GLASS
	SGM	SGM	SGM	SGM	SGM	SGM
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
8'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
glass sizes	106, 122, 404, 810	106	122, 304, 404	129, 450	151, 450	151, 852




Steel Availability

SELECTION & STYLE

MASONITE® HD STEEL DOOR SERIES

					
	FLUSH	6P	2P SQUARE	2P ROMAN	4P BLANK-TOP
	MHD	MHD	MHD	MHD	MHD
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'6", 2'8", 2'10", 3'0"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	3'0"		2'6", 2'8", 2'10", 3'0"
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	3'0"		
glass sizes	114, 120, 122, 810, 820	106, 120, 122, 160, 228, 404, 810, 820	106, 404	106	106, 135, 137

		
	HOLLISTER® 2P	CRAFTSMAN 3P
	MHD	MHD
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"
7'0"	3'0"	
8'0"		
glass sizes	404	217

				
	FLUSH SL	2P UNIVERSAL SL	3P SL	CRAFTSMAN & HOLLISTER® SL
	MHD	MHD	MHD	MHD
6'8"	1'0", 1'2"	1'0", 1'2"		1'0", 1'2"
7'0"	1'0", 1'2"		1'0", 1'2"	
8'0"	1'0", 1'2"		1'0", 1'2"	
glass sizes	151, 852	129, 450	129, 151, 450, 852	617, 450

† Features narrow panel layout.

Black - Special Order
Green - In Stock

Product Warranties

BELLEVILLE®

DISTINCT ARCHITECTURAL DETAILS

LIFETIME LIMITED WARRANTY

Subject to the limitations and conditions set forth below, Masonite warrants the door panel to be free of manufacturing defects in material and workmanship from the date of its original installation. Masonite grants this warranty only to the original purchaser of the door and the original purchaser of the building where the door was installed. **THIS WARRANTY IS NOT TRANSFERABLE.**

The warranty excludes any defects in the coating on the door, any glass inserts or other accessories. Also excluded are defects resulting from (1) exposure to chemicals, acid or fumes; (2) improper use; (3) improper installation; (4) improper maintenance; (5) water-related damage; or (6) a failure to follow any applicable installation, care or maintenance instructions.

THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. MOREOVER, IN NO EVENT WILL MASONITE BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. This warranty gives you specific legal rights. Other rights vary from state to state and may apply to you. Some states and federal laws do not allow the exclusion of implied warranties. In the event these laws apply, then the length of any implied warranty shall be one (1) year or the shortest time in excess of one year permitted under applicable law. Similarly, some states do not allow the exclusion or limitation of consequential damages and, if applicable, this limitation will not apply.

If a defect occurs, Masonite, at its sole option, will furnish a replacement door, repair the door or refund the original purchase price. **MASONITE'S MAXIMUM LIABILITY IS LIMITED TO THE AMOUNT OF THE ORIGINAL PURCHASE PRICE. MASONITE WILL NOT PAY THE COSTS OF LABOR, INSTALLATION OR FINISHING FOR ANY REPLACEMENT DOOR. No representative of Masonite or any other person has any authority whatsoever to assume for Masonite any other liability or responsibility in connection with the door warranted herein.**

If you have a warranty claim, please notify your Masonite Dealer. Include in the notice the following information:

A. Description of door

B. Name and address of owner and installer

C. Proof of sale

D. Detailed explanation of defect

VISTAGRANDE®

BRING THE OUTDOORS IN

LIFETIME LIMITED WARRANTY

Subject to the limitations and conditions set forth below, Masonite warrants from the date of its original purchase that (a) the door panel will be free of manufacturing defects in material and workmanship for the expected lifetime of the door; and (b) Masonite's factory-installed glass inserts and frames will be free from seal failure or extraordinary discoloration resulting from a manufacturing defect in materials or workmanship for periods of twenty (20) years for its clear glass inserts and twenty (20) years for its decorative (i.e. Chord, Pear, Centennial 10™ and 15™) glass inserts. Masonite grants these warranties only to the original purchaser of the door and the original purchaser of the building where the door was installed. **THIS WARRANTY IS NOT TRANSFERABLE.**

Warranty does not apply to the coatings on the door, any wood components or accessories (such as hardware). Also excluded are damages resulting from or caused by (1) exposure to acid, chemicals or fumes; (2) improper use; (3) improper installation; (4) improper maintenance; (5) water-related damage; (6) application of dark coating to the door; (7) installation behind a non-vented storm door; or (8) failure to follow any applicable installation, care or maintenance instructions. Bubbles, lines, slight surface imperfections and slight discoloration are characteristics of fine hand-crafted glass and are not considered defects.

THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. MOREOVER, IN NO EVENT WILL MASONITE BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. This warranty gives you specific legal rights. However, rights vary from state to state and may apply to you. Some states and federal laws do not allow the exclusion of implied warranties. In the event these laws apply, then the length of any implied warranty shall be one (1) year from the date of the purchase from Masonite, or the shortest time in excess of one year permitted under applicable law. Similarly, some states may not allow the exclusion or limitation of consequential damages and, if applicable, this limitation will not apply.

If a warranty claim occurs, Masonite, at its sole option, will furnish a replacement door, repair the door or refund the original purchase price. **MASONITE'S MAXIMUM LIABILITY IS LIMITED TO THE AMOUNT OF THE ORIGINAL PURCHASE PRICE OF THE DOOR. MASONITE WILL NOT BE LIABLE FOR OR PAY THE COSTS OF LABOR, INSTALLATION OR FINISHING FOR ANY REPLACEMENT DOOR. No representative of Masonite or any other person has any authority whatsoever to assume for Masonite any other liability or responsibility in connection with the door warranted herein.**

If you have a warranty claim, please notify your Masonite Dealer. Include in the notice the following information:

A. Description of door

B. Name and address of owner and installer

C. Proof of sale (including original purchase price)

D. Detailed explanation of defect

Product Warranties

MASONITE HD STEEL®

HIGH-DEFINITION STEEL ENTRY DOORS

5 YEAR LIMITED WARRANTY

Subject to the limitations and conditions set forth below, Masonite warrants that from the date of original installation, the door will be free of manufacturing defects in material and workmanship for a period of five (5) years. Deflection (up to 1/4 inch) or minor scratches or other visual imperfections shall not be considered defects. Masonite grants these warranties only to the original purchaser of the door and the original purchaser of the building where the door was installed. **THIS WARRANTY IS NOT TRANSFERABLE.**

The warranty excludes any defects in the coatings, any glass inserts or other accessories. Also excluded from the warranty are defects resulting from (a) exposure to air pollutants, such as acid rain, (b) exposure to chemicals, acid or fumes; (c) improper handling, storage, abuse, vandalism, misuse, impact by foreign objects, acts of god, fire, explosions or other casualty; (d) installation or maintenance not conducted in strict adherence with the manufacturer's written instructions; (e) air and water infiltration during severe weather conditions; (f) any failure of the structure/building/foundation into which the door is installed; or (g) any other causes beyond the manufacturer's control and not related to the manufacturing process.

THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. MOREOVER, IN NO EVENT WILL MASONITE BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. This warranty gives you specific legal rights. Other rights vary from state to state and may apply to you. Some states and federal laws do not allow the exclusion of implied warranties. In the event these laws apply, then the length of any implied warranty shall be one (1) year or the shortest time in excess of one year permitted under applicable law. Similarly, some states do not allow the exclusion or limitation of consequential damages and, if applicable, this limitation will not apply.

If a defect occurs, Masonite, at its sole option, will furnish a replacement door, repair the door or refund the original purchase price. **MASONITE'S MAXIMUM LIABILITY IS LIMITED TO THE AMOUNT OF THE ORIGINAL PURCHASE PRICE. MASONITE WILL NOT PAY THE COSTS OF LABOR, INSTALLATION OR FINISHING FOR ANY REPLACEMENT DOOR. No representative of Masonite or any other person has any authority whatsoever to assume for Masonite any other liability or responsibility in connection with the door warranted herein.**

If you have a warranty claim, please notify your Masonite Dealer. Include in the notice the following information:

A. Description of door

B. Name and address of owner and installer

C. Proof of sale

D. Detailed explanation of defect

ENTRY DOOR GLASS

LIFETIME LIMITED WARRANTY

WARRANTY COVERAGE

Subject to the conditions, exclusions and limitations stated herein, Masonite warrants that when delivered to Customer, its Products will be free from any manufacturing defects in material and workmanship that render the Product unfit for its normal and recommended use.

In order to validate your warranty, all glass and glass lite frames ("Products") must be finished in accordance with manufacturer's recommendations.

THIS WARRANTY APPLIES ONLY TO THE ORIGINAL PURCHASER OF THE PRODUCT (OR FROM THE ORIGINAL OWNER OF THE SINGLE FAMILY HOME WHERE THE GLASS WAS ORIGINALLY INSTALLED). THIS WARRANTY IS NOT TRANSFERABLE OR ASSIGNABLE TO ANY OTHER PARTY.

The period of warranty shall begin as of the date of purchase by the customer and shall extend for the following product(s) respective warranty period:

1. Twenty (20) year warranty for the insulated glass components and molded frame components for Masonite Standard Glass, Mini-Blinds and Decorative Glass.
2. If the frame is PVC material there is a five (5) year limited warranty on the frame components.

EXCLUSION

This warranty does not cover any of the following:

1. Any defects or damages arising out of and/or caused during shipment by common carriers, private transportation, or any other means of transportation.
2. Any defects or damages arising out of improper maintenance, installation, handling, cleaning, finishing, glazing, misuses, abuse, acts of God, accidents, and/or any other circumstances beyond the reasonable control of Masonite.
3. Any Product submitted to high heat conditions behind a non-vented storm door.
4. Any defects or damages caused by, arising out of or related to improper seal for glass products sold without Masonite's factory applied sealant.
5. Imperfections that are considered characteristics of fine hand-crafted decorative glass; such as bubbles, lines, slight surface imperfections or discolorations.
6. Non-Masonite applied factory finishes such as the application of a primer, paint or stain to the frame. Some finishes may not provide proper adhesion. You should consult with the paint manufacturer or distributor before selecting a finish to ensure it is appropriate for the intended use.
7. Labor, shipping or other charges incurred or claimed by the customer.
8. Products installed in a structure other than a single family home.
9. Acts of third parties

INSPECTION AND DISCOVERY OF DEFECT

It is the customer's responsibility to inspect the product immediately upon receipt of shipment. If a defect covered under this warranty is discovered upon such inspection, the customer shall immediately file a claim in accordance with the proper procedure as set forth below.

Masonite shall have no obligation with respect to any defect that was reasonably discoverable upon visual inspection, when such defective product is installed (or otherwise used) prior to properly filing a claim.

If a defect is discovered after receipt of shipment but within the products warranty period, the customer shall immediately file a claim in accordance with the proper procedures as set forth below.

WARRANTY CLAIM PROCEDURES

The customer must comply with the following procedures to make a proper claim under this warranty:

1. The customer must present a written claim to Masonite within 30 days after discovering a defect. The written claim must be received within the product's warranty period.

2. The customer must provide the following information in its written claim.
- **a)** Adequate description of the claimed defect(s)
- **b)** Identification of product design or pattern
- **c)** Date of purchase, place of purchase, purchase price, and date of delivery to customer

3. The customer must, if requested by Masonite, permit Masonite or its representative to inspect the product or, if requested, return product freight prepaid for inspection.

REMEDIES

1. After receiving a valid claim, Masonite has the option to:
- **a)** Repair the product
- **b)** Provide a replacement product (or part, as appropriate) of like kind and design. Replacement will result in a charge as specified in the charge to customer paragraph 1, based on the current wholesale purchase price.
- **c)** Refund a percentage of the current wholesale purchase price as specified in refund to customer Paragraph 1 below:

Paragraph 1:

Period (Years)	Charge to Customer	Refund to Customer
0-5	None	100%
6	20%	80%
7	30%	70%
8	40%	60%
9	50%	50%
10	60%	40%
11-15	70%	30%
16-20	80%	20%

2. If Masonite elects to provide a replacement product, the limited warranty on the replacement product will last for the balance of the warranty on the original product. If the customer fails to provide a satisfactory proof of the date of purchase, the date such product was manufactured shall be used.

DISCLAIMER OF WARRANTY

MASONITE MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO ITS PRODUCTS (OR ANY OTHER REPLACEMENT PRODUCT), INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES

THE REMEDIES SET FORTH ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR ALL CAUSES OF ACTION RELATED TO THE SUBJECT MATTER, INCLUDING WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY OR NEGLIGENCE. ALL CLAIMS MUST BE BROUGHT WITHIN ONE (1) YEAR FROM THE DATE THE CLAIM AROSE UNLESS A DIFFERENT MINIMUM TIME IS REQUIRED UNDER THE APPLICABLE LAW. IN NO CASE SHALL MASONITE BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

OTHER RIGHTS VARY FROM STATE TO STATE AND MAY APPLY TO YOU. SOME STATES AND FEDERAL LAWS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES. IN THE EVENT THESE LAWS APPLY, THEN THE LENGTH OF ANY IMPLIED WARRANTY SHALL BE ONE (1) YEAR OR THE SHORTEST TIME IN EXCESS OF ONE YEAR PERMITTED UNDER APPLICABLE LAW. SIMILARLY, SOME STATES DO NOT ALLOW THE EXCLUSION OF LIMITATION OF CONSEQUENTIAL DAMAGES AND, IF APPLICABLE, THE LIMITATION WILL NOT APPLY.

THIS WARRANTY CANNOT BE MODIFIED. THIS WARRANTY IS THE COMPLETE AND EXCLUSIVE WARRANTY RELATED TO THE PRODUCT, AND IT SUPERSEDES ALL EARLIER AGREEMENTS. NO EMPLOYEES OF MASONITE AND OR ANY OTHER PARTY IS AUTHORIZED TO MAKE ANY ADDITIONAL WARRANTY. INVALIDATION OF ANY ONE OR MORE OF THE PROVISIONS OF THIS WARRANTY SHALL NOT INVALIDATE OR EFFECT ANY OTHER PROVISIONS.

Customer is defined as either the original party who directly purchased the original product from Masonite or the original owner of the single family home where the glass was installed.

Effective May 1, 2017. Changes made effective May 1, 2017 are not retroactive.

Fire-Rated / ADA / STC

COMPLIANT EXTERIOR DOORS

MASONITE

FIRE-RATED



Belleville® Oak Textured Flush Door / Door BLT-X

- Whether or not codes require fire-rated entry, enjoy the peace of mind that comes with knowing your home is more protected.
- Masonite offers 20- and 90-minute fire doors with the same on-trend architectural characteristics of our steel portfolio. We offer 20-minute fire-rated fiberglass.
- Masonite runs extensive testing at the R&D center to ensure the most stringent fire-rated building codes are met.

- 20- or 90-minute fire rating must be specified when ordering.

MASONITE

ADA



VistaGrande® Smooth Flush-Glazed Door with Clear Glass / Doors VSG-810-010-X

- Masonite is proud to offer several door designs with 10" bottom rails.
- Complying with ADA (American Disabilities Act) standards, the offerings are available in a number of steel and fiberglass designs to suit many styles of architecture.
- Masonite is continually creating new and innovative products that make every home more valuable and more enjoyable.

- Doors indicated as ADA eligible must be installed with ADA thresholds and ADA-compliant hardware.

MASONITE

STC



VistaGrande® Smooth Flush-Glazed Door with Clear Glass / Doors VSG-926-010-X

Acoustical Performance

MAX SIZE	EXTERIOR DOOR UNITS WITH NO GLASS†	STC[1]	OITC[2]
3/0 x 6/8	**BELLEVILLE®** with Foam Core	22	22
3/0 x 6/8	**MASONITE® HD STEEL** Steel Edge with Foam Core	22	22
3/0 x 8/0	**MASONITE® HD STEEL** Wood Edge with Foam Core	24	22
3/0 x 8/0	**BELLEVILLE®** with Particleboard Core	30	28

MAX SIZE	EXTERIOR DOOR UNITS WITH INSULATED GLASS		STC[1]	OITC[2]
3/0 x 8/0	**VISTAGRANDE®** Fiberglass	Full Lite - Clear 1"	30	25
3/0 x 8/0	**VISTAGRANDE®** Fiberglass	Full Lite - Clear 1" with Single 1/4" Lami layer	32	29
3/0 x 8/0	**VISTAGRANDE®** Fiberglass with Particleboard Core	Full Lite - Clear 1"	32	26
3/0 x 8/0	**VISTAGRANDE®** Fiberglass with Particleboard Core	Full Lite - Clear 1" with Single 1/4" Lami layer	35	30

- **Managing and containing sound transmission is becoming more popular in both residential and commercial construction.**
- **Doors can be an important component when attempting to reduce the noise that is either entering or exiting a room or building.**
- **STC (Sound Transmission Class) are measurements of a door's ability to reduce the transmission of airborne noise. Higher STC values represent better noise reduction.**






- Acoustical performance based on wood frames and 5/8" compression weatherstrip.
- STC determined in accordance with ASTM E90.



[1]Sound Transmission Class
[2]Outdoor-Indoor Transmission Class
†Any opaque design

Acoustical performance values determined in accordance with ASTM E90, Standard Test Method for Laboratory Measurements of Airborne Sound Transmission Loss of Building Partitions & ASTM E413, Classification for Rating Sound Insulation. ASTM E1332, Standard Classification for Determining of Outdoor-Indoor Transmission Class.

Fire-Rated / ADA

EXTERIOR DOOR OFFERING

VISTAGRANDE® FIR TEXTURED & SMOOTH FLUSH-GLAZED		WIDTHS		
		2/8	2/10	3/0
		**VFT / VSG – 426**		
		6/8		ADA
		**VFT / VSG – 810**		
		8/0	ADA	ADA
		**VFT/ VSG – 826**		
		8/0		ADA
		**VFT / VSG – 926**		
		6/8		ADA
		8/0		ADA
		**VFT / VSG – 106**		
		6/8	ADA	ADA
		**VFT / VSG – 126**		
		6/8		ADA
		**VFT / VSG – 122**		
		6/8	ADA	ADA
		8/0	ADA	ADA
		**VFT / VSG – 404**		
		6/8	ADA	ADA

HERITAGE SERIES. FIR TEXTURED & SMOOTH		WIDTHS		
		2/8	2/10	3/0
	**HFT – Craftsman 3P**			
	6/8	🔥	🔥 ADA	🔥 ADA
	8/0	🔥	🔥 ADA	🔥 ADA
	**HGS – Craftsman 3P**			
	6/8	🔥	🔥 ADA	🔥 ADA
	8/0	🔥	🔥 ADA	🔥 ADA

🔥 – 20-Minute Fire-Rated / **ADA** – ADA eligible door / Please specify Fire Rating or ADA when ordering
20-Minute positive pressure Category B with hose steam / 90-Minute positive pressure Category B

BELLEVILLE® SMOOTH

	WIDTHS				
	2/0	2/6	2/8	2/10	3/0
BLS – Flush					
6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
8/0	🔥	🔥	🔥	🔥 ADA	🔥 ADA
BLS – 2P Square					
6/8			🔥	🔥	🔥
8/0			🔥	🔥	🔥
BLS – 2P Roman					
6/8			🔥	🔥 ADA	🔥 ADA
8/0			🔥	🔥 ADA	🔥 ADA
BLS – Cheyenne. 2P Plank					
6/8			🔥	🔥	🔥
8/0			🔥	🔥	🔥
BLS – 6P					
6/8			🔥	🔥	🔥
8/0			🔥	🔥	🔥

BELLEVILLE® MAHOGANY TEXTURED

	WIDTHS		
	2/8	2/10	3/0
BMT – Cheyenne. 2P plank			
6/8	🔥	🔥	🔥
BMT – 6P			
6/8	🔥	🔥	🔥
8/0	🔥	🔥	🔥

BELLEVILLE® OAK TEXTURED

	WIDTHS				
	2/0	2/6	2/8	2/10	3/0
BLT – Flush					
6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
8/0	🔥	🔥	🔥	🔥 ADA	🔥 ADA
BLT – 2P Square					
6/8			🔥	🔥	🔥
8/0			🔥	🔥	🔥
BLT – 6P					
6/8			🔥	🔥	🔥
8/0			🔥	🔥	🔥

BELLEVILLE® FIR TEXTURED

	WIDTHS		
	2/8	2/10	3/0
BFT – 6P			
6/8	🔥	🔥	🔥

Fire-Rated / ADA

EXTERIOR DOOR OFFERING

	MASONITE® HD STEEL	WIDTHS				
		2/0	2/6	2/8	2/10	3/0
	**MHD – Flush**					
	6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	7/0	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	8/0	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	**MHD – 2P Square**					
	6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	7/0					🔥
	**MHD – 2P Roman**					
	6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	**MHD – Hollister, 2P**					
	6/8	🔥	🔥	🔥	🔥	🔥
	7/0					🔥
	**MHD – Craftsman 3P**					
	6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	**MHD – 4P Blank-Top**					
	6/8				ADA	ADA
	**MHD – 6P**					
	6/8	🔥	🔥	🔥	🔥 ADA	🔥 ADA
	7/0	🔥	🔥	🔥	🔥	🔥
	8/0	🔥	🔥	🔥	🔥	🔥

🔥 – 20 or 90-Minute Fire-Rated / **ADA** – ADA eligible door / Please specify Fire Rating or ADA when ordering


Wood-Edge is 20-Minute only in 6/8 and 7/0 heights, Steel-Edge is 90-Minute in 6/8, 7/0 and 8/0 heights, Masonite, HD and opaque only.

20-Minute positive pressure Category B with hose steam / 90-Minute positive pressure Category B

Door Handing Chart


FOR MASONITE ENTRY

INSWING



Doors pictured above assume you are standing on the outside of the building.

OUTSWING




Doors pictured above assume you are standing on the outside of the building.

SINGLE DOOR



Exterior Left-Hand Inswing | Exterior Right-Hand Inswing | Exterior Right-Hand Outswing | Exterior Left-Hand Outswing

SINGLE DOOR WITH LEFT-HAND SIDELITE




Exterior Left-Hand Hinge Side | Exterior Right-Hand Lock Side | Exterior Right-Hand Hinge Side | Exterior Left-Hand Lock Side

SINGLE DOOR WITH RIGHT-HAND SIDELITE



Exterior Left-Hand Lock Side | Exterior Right-Hand Hinge Side | Exterior Right-Hand Lock Side | Exterior Left-Hand Hinge Side

SINGLE DOOR WITH DOUBLE SIDELITES




Exterior Left-Hand Inswing | Exterior Right-Hand Inswing | Exterior Right-Hand Outswing | Exterior Left-Hand Outswing

FRENCH DOUBLE DOORS



Exterior Left-Hand Inswing | Exterior Right-Hand Inswing | Exterior Right-Hand Outswing | Exterior Left-Hand Outswing

FRENCH DOUBLE DOORS WITH DOUBLE SIDELITES



Exterior Left-Hand Inswing | Exterior Right-Hand Inswing | Exterior Right-Hand Outswing | Exterior Left-Hand Outswing

Active Doors | Inactive Doors | Fixed Doors

Complete list of handing options available at Masonite.com

*Typically a patio configuration

VISTAGRANDE® EXTERIOR DOORS

Brighten Your Home from Front to Back

With 18% wider glass area, VistaGrande doors create a natural, light-filled flow from the foyer to the main living area and beyond.






Transitional

MASONITE

Benefits of Natural Light





Natural light has been proven to lower energy bills and help us live healthier and happier. But windows aren't your only source of light—see how VistaGrande doors completely transform an interior.


Brighten Any Style of Home







GLASS SERIES AVAILABILITY



Glass Name	Glass Code	Caming	Privacy Rating	228 22" x 10"	137 22" X 10" Camber-Top	135 22" X 10" Fan	217 22" x 17"	160 20" x 36"	106 22" x 36"	126 26" x 36"	304 16" x 40.75" oval	420 20" x 48"	404 22" x 48"	426 26" x 48"	300 19" x 56.5" oval	114 14" X 64"
Chelsea.	341	AB	3										404-341			
Chord	115	T	9	228-115			217-115		106-115				404-115			
Cross Reed	118	T	7	228-118			217-118		106-118				404-118			
Cruz.	661	AB	8	228-661					106-661				404-661			
Cuzco	364	AB	7	228-364					106-364				404-364			
Double Water	113	T	9	228-113			217-113		106-113				404-113			
Element.	328	AB	5		137-328		217-328		106-328				404-328			
Focus	627	P	5	228-627			217-627		106-627				404-627			
Frontier.	312	AB	4	228-312			217-312		106-312				404-312			
Georgian	517	P	3						106-517		304-517		404-517		300-517	
Iron Springs.	918	WR	9						106-918				404-918			
Kordella.	686	AB	8	228-686					106-686				404-686			
Naples.	366	AB	6	228-366			217-366		106-366				404-366			
Panama.	725	P	4						106-725		304-725		404-725			
Pear	116	T	9	228-116			217-116		106-116				404-116			
Pearl.	140	T	9	228-140			217-140		106-140	126-140		420-140	404-140	426-140		114-140
Quill.	119	T	9	228-119			217-119		106-119				404-119			
Rozet.	467	AB	5		137-467				106-467		304-467		404-467			
Sonnet.	472	P	5										404-472			
Tanglewood.	926	WR	9						106-926				404-926			
Zavalla.	537	P	6													
Clear Lites	010		0	228-010	137-010	135-010	217-010	160-010	106-010	126-010	304-010	420-010	404-010	426-010	300-010	114-010


DOOR SPECIES AVAILABILITY



6'8"	228-4	137-4	135-4	217-2	160-2	106-1	106-1P	106-2	126-1	304-2	420-1	404-1	426-1	300-X	114-X	120-X	122-X	926-X	617-1	129-1	450-1	152-X	151-X
BLS	•	•	•		•	•	•	•		•		•		•	•	•	•			•	•		•
HGS				•															•				•
BMT	•						•	•		•		•					•			•	•		•
BLT	•	•	•		•	•		•						•	•	•	•			•	•		•
BFT	•							•		•		•					•			•	•		•
HFT				•															•				•
SGS		•			•	•	•	•		•		•			•	•	•			•	•		•
SGM							•	•		•		•					•			•	•		•
VSG						•			•		•	•	•		•	•	•	•			•	•	
VFT						•			•		•	•	•		•	•	•	•			•	•	
MHD	•	•	•	•	•	•		•				•		•	•	•	•		•	•	•		•

SPECIES

BLS	Belleville, Smooth	**HGS**	Heritage Series, Smooth	**BMT**	Belleville, Mahogany Textured	**BLT**	Belleville, Oak Textured
BFT	Belleville, Fir Textured	**HFT**	Heritage Series, Fir Textured	**SGS**	StormGuard, Smooth	**SGM**	StormGuard, Mahogany
MHD	Masonite, HD Steel	**VSG**	VistaGrande, Flush-Glazed Smooth	**VFT**	VistaGrande, Flush-Glazed Textured		



120 20" X 64"	122 22" X 64"	926 26" X 64"	814 14" x 80"	820 20" x 80"	810 22" x 80"	826 26" x 80"	617 9" x 17"	129 8" x 36"	450 8" x 48"	151 8" x 64"	852 8" x 80"
	122-341				810-341				450-341	151-341	852-341
	122-115				810-115		617-115	129-115	450-115	151-115	852-115
	122-118				810-118		617-118	129-118	450-118	151-118	852-118
	122-661				810-661			129-661	450-661	151-661	852-661
	122-364				810-364			129-364	450-364	151-364	852-364
	122-113				810-113		617-113	129-113	450-113	151-113	852-113
	122-328				810-328		617-328	129-328	450-328	151-328	852-328
	122-627				810-627		617-627	129-627	450-627	151-627	852-627
							617-312	129-312	450-312	151-312	852-312
	122-517							129-517	450-517	151-517	
	122-918				810-918			129-918	450-918	151-918	852-918
	122-686				810-686			129-686	450-686	151-686	852-686
	122-366				810-366		617-366	129-366	450-366	151-366	852-366
	122-725				810-725			129-725	450-725	151-725	852-725
	122-116				810-116		617-116	129-116	450-116	151-116	852-116
120-140	122-140	926-140	814-140	820-140	810-140	826-140	617-140	129-140	450-140	151-140	852-140
	122-119				810-119		617-119	129-119	450-119	151-119	852-119
	122-467							129-467	450-467	151-467	
	122-472								450-472	151-472	
	122-926				810-926			129-926	450-926	151-926	852-926
	122-537				810-537					151-537	852-537
120-010	122-010	926-010	814-010	820-010	810-010	826-010	617-010	129-010	450-010	151-010	852-010



8'0"	217-2	404-1	404-1P	404-2	120-1	122-1	926-1	814-X	820-X	810-X	826-X	617-1	450-1	151-1	852-X
		•	•	•		•		•	•	•			•	•	•
	•											•			•
				•		•				•			•	•	•
		•		•				•	•	•			•	•	•
	•											•			•
		•	•	•		•		•	•	•			•	•	•
				•		•				•			•	•	•
					•	•	•	•	•	•	•			•	•
					•	•	•	•	•	•	•			•	•
		•		•				•	•	•			•	•	•

CAMING

AB	Antique Black	P	Platinum	T	Textured	WR	Wrought Iron

MASONITE®
DOORS



813-261-5550
7am to 4pm / Monday through Friday, EST
masonite.com

- Belleville® Smooth with Cruz® Glass / Door BLS-122-661-X
- FRONT COVER: Belleville® Hollister® Smooth Door with Element® Glass Door BLS-122-328-1 / Sidelites BLSSL-151-328-1

FLORIDA MADE DOOR™

86554 Gene Lassere Blvd
Yulee, FL 32097
P: 813.261.5550 | TF: 1.877.313.3293
F: 1.877.329.8763
www.floridamadedoor.com

FMD-19001 / FM-ESGDE-PR219